




# **Behlen**<sup>®</sup> COUNTRY

Behlen Country is the largest division of Behlen Mfg. Co., headquartered in Columbus, NE. Behlen Mfg. Co. is a locally owned company providing quality steel products worldwide. Behlen Country manufactures a complete line of products for farm and ranch, including Gates, Corral Panels, Fence, Tanks/ Waterers, Feeders, Cattle Handling, Equine, Small Animal/Pet, and 3-Point Equipment. Many of these items have even been used in the lawn and garden category.

At Behlen Country, we pride ourselves on continuous improvement and customer satisfaction. Our products are designed and tested for "real world" use, whether you are a weekend enthusiast or a professional rancher. If your customers are backyard gardeners or large cattle operations, the Behlen Country brand stands for proven performance and has what they need to succeed.

With three convenient manufacturing locations and an in-house trucking company, BMC Transportation, we can quickly supply your retail stores, saving you handling and inventory costs. Behlen Country offers a diversified product offering of farm and ranch products from a single source, allowing you to combine orders for different products on the same truck and get them when you need them.

We strive for excellence through teamwork and change to make our customers and employees better off. Through our innovative and functional products, being on-time and complete, Behlen Country is proud to earn your business! Look for these exciting new products!





Poly Creep Feeders -Page 37



► Square, Triangle, & Utility Galvanized Tanks -Page 40







 Rigid Poly Tanks & Hog Waterer -Page 41





1 Row Hiller -Page 65





Products with this American flag symbol beside them are proudly manufactured in the United States.

# WWW.BEHLENCOUNTRY.COM

# **Table of Contents**

# GATES

Heavy-Duty6	6
Medium-Duty	8
Utility 10	C
Gate Accessories 12	2

# **CORRAL PANELS**

How to Calculate a Round Pen	14
Heavy-Duty	15
Medium-Duty	17
Utility	18
Kidding Pens	19
Corral Panel Accessories	20
Fence Panels	21

# **EQUINE EQUIPMENT**

Modular Horse Stalls	22
Stall Connectors	23
Modular Shelter Kits	24
Modular Shelter Components	27
Stall Feeders	28
Stable Accessories	29

# FEEDING EQUIPMENT

HaySmart <sup>™</sup> Feeders	30
V Bar Hay Feeders	30
Calf Creep Feeders	32
Mineral Feeders	33
Feed Bunks & Troughs	34
Feed Bunks & Hay Racks	35
Small Animal Feeders	36

# TANKS/WATERERS

38
40
41
42
44
45
46

# **CATTLE EQUIPMENT**

Chutes	. 48
Headgates	. 52
Calf Table & A.I. Cage	. 52
Unsheeted System Kits	. 53
Unsheeted System Components	. 56
Portable Care Center	. 57
Calf Hutch	. 58
Anchor Stakes, Post Driver	. 58

# **3-POINT EQUIPMENT**

Rotary Cutters	. 59
Rotary Tillers	. 60
Tillage Discs	. 60
Grader Blades	
Box Blades	. 61
Arena Ace <sup>™</sup>	
Drag Harrows	
Land Plane	
Landscape Rakes	. 63
Middle Buster	. 64
Cultivator	. 64
Sub Soiler	. 64
1 Row Hiller	. 65
Heavy-Duty Bale Spear	. 65
Bucket Bale Spear	. 65
Carry All	. 65
Boom Poles	. 66
3-Point Hitch Movers	. 66
Receiver Wire Un-roller	
Spreaders	. 67
Post Hole Digger & Augers	
Hitch'N Plow <sup>®</sup>	. 67
Sub-Compact Implements	. 68

# **DOG KENNELS**

Value Chain Link Kennels	69
Magnum Kennels <sup>™</sup>	70

# **Gate & Corral Panel Performance**

With our good, better, best approach, every Behlen Country gate and corral panel is designed to perform. Rugged, resilient and field proven, simply pick the level of performance you need for your site.

munimum

and the second			
Designed to withstand the most damaging conditions, the Heavy-Duty collection features 3 finishes, heavy gauge steel tubing, special Z-braces, and saddle weld joints, so you can count on them to last.	<ul> <li>Rugged 2" dia. tube</li> <li>Hefty 14 or 16 gauge steel</li> <li>Powder Coat, Galvanized or Hot-Dipped Galvanized Finish</li> </ul>	Corral Panels Rugged 2" dia. tube Hefty 16 & 18 gauge steel Powder Coat, Galvanized or Hot-Dipped Galvanized Finish Heavy-duty 2" diameter arch gates, entrance panels and inverted arches	Heavy-Duty
Our Medium- Duty lineup is great for 365-day wear and tear. Armed with tough materials and durable finishes, Medium-Duty thrives in basis troffic	Gates • Rugged 1-5/8" dia. tube • Heavy 16 & 18 gauge steel • Resilient Powder Coated or Galvanized Finish	Corral Panels • Rugged 2" & 1-5/8" dia. tube • 16 & 18 gauge steel • Powder Coat or Galvanized Finish • Medium-duty 1-5/8" dia. entrance panels & arch gates	Medium-Duty
U Hintes in neavy trainc and bad weather. For everyday performance that will last, and last, th Utility lineup is made the job. Big on value, a low on maintenance Utility works as hard as you do.	• Utility 1-5/8" dia. tubes for and • Utility 20 gauge steel • Resilient Powder Coated	Corral Panels • Utility 1-5/8" dia. tube • Utility 18/20 gauge steel • Resilient Powder Coated or Galvanized Finish	Utility

WWW.BEHLENCOUNTRY.COM

# **Gate & Corral Panel Finishes**

Behlen <sup>°</sup> COUNTRY Farm&Ranch Equipment		PREMIUM POWDER COAT	HOT-DIPPED GALVANIZED	GALVANIZED
Α	Automotive grade, high tensile steel	x	X	
В	Automotive grade, high tensile, pre- galvanized steel			X
С	<ul> <li>State-of-the-art wash system</li> <li>1) Alkaline cleaner removes oils, soils, etc.</li> <li>2) De-greasing Rinse</li> <li>3) Phosphate preps material for adhesion &amp; corrosion resistance</li> <li>4) Reverse osmosis rinse</li> </ul>	X		
D	<ul> <li>Behlen Country<sup>®</sup> Premium Powder Coat Paint</li> <li>Electrostatically applied, ensures no runs and even coverage</li> <li>375° baked-on finish is hard as nails</li> <li>UV resistant (fade resistant)</li> <li>Similar to the process used in the automotive and appliance industry</li> </ul>	X		
E	<ul> <li>Behlen Country<sup>®</sup> exclusive on-site Hot-Dip Galvanizing</li> <li>Increased life due to zinc coating on the inside as well as the outside of product</li> <li>Provides the ultimate protection against corrosion and insures a lasting finish</li> <li>For example: a 16' 2" gate has over 7 pounds of zinc applied over automotive grade, high tensile steel</li> </ul>		X	
F	All welds are coated with zinc rich paint for increased protection			х



## 2" • 16 Ga. Gate Heavy-Duty Gate



GREEN

Heavy-Duty Gate designed for crowding livestock areas. Horizontal tubes are notched and welded for additional strength. Finished with our premium powder coat paint. 3/4" x 12" bolt hooks.


L (FT)	tube (IN)	HT (IN)	WT (LB)	VERT. 'Z' Braces	RED ITEM #	GREEN ITEM #
2" •	16 GAU	ge heav	/Y-DUTY (	GATE		
4	2	50	41	0	40120041	40120042
6	2	50	55	0	40120061	40120062
8	2	50	72	1	40120081	40120082
10	2	50	87	1	40120101	40120102
12	2	50	100	1	40120121	40120122
14	2	50	118	2	40120141	40120142
16	2	50	133	2	40120161	40120162
18	2	50	152	3	40120181	40120182
20	2	50	167	3	40120201	40120202

# 2" • 16 Ga. Champion Gate

Heavy-Duty Gate

HD \_ YELLOW

#### **Limited Lifetime Warranty**

Champion Gates are designed with heavier vertical braces for extra strength and support. Finished with our premium powder coat paint and has an extra heavy chain latch with 36" chain. Visit behlencountry.com for warranty details.

GATES

NOTE: Hinges not included. Hinge Item # 2208075 3 Hinges are recommended for 18' & 20'

L (FT)	tube (IN)	HT (IN)	WT VERT. 'Z' (LB) BRACES		YELLOW ITEM #
2" •	16 GAU	GE CHA	MPION GAT	E	
4	2	50	42	0	40150046
6	2	50	58	0	40150066
8	2	50	80	1	40150086
10	2	50	97	1	40150106
12	2	50	113	, 1	40150126
14	2	50	134 /	2	40150146
16	2	50	151	2	40150166
18	2	50	172	3	40150186
20	2	50	/ 188	3	40150206

**Note:** All gates are 4" less than listed length to allow for gate hardware and proper clearance.



6

# 2" • 16 Ga. Gate





Designed for crowding in livestock areas. Horizontal tubes are notched and welded for additional strength. Finished with our red premium powder coat paint. Hog gate is 38'' tall.  $3/4'' \times 12''$  bolt hooks.

\*Not available in West Region.



# 2" • 16 Ga. Gate

Collared Hinge Gate

HD GREEN

Heavy-Duty Gate designed for crowding livestock areas with square corners and collared hinges. Horizontal tubes are notched and welded for extra strength. Finished with our premium powder coat paint.

1-0	the second second second	- Statement
		2000
1 IS THE	Sec. 1	
2	2 ( 1 ( 1 ) ) ) ( 1 ) (	

L (FT) 2" •	TUBE (IN) 16 GAU	HT (IN) GE HOG	WT (LB) GATE	vert. 'Z' Braces	RED ITEM #
10	2	38	83	1	40121101
12	2	38	98	1	40121121
16	2	38	130	2	40121161

L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. 'Z' Braces	GREEN ITEM #
2" • 1	6 GAUGE	COLLAR	ed hing	E GATE	
4	2	50	45	0	40162042
6	2	50	59	0	40162062
8	2	50	76	1	40162082
10	2	50	90	1	40162102
12	2	50	104	1	40162122
14	2	50	122	2	40162142
16	2	50	136	2	40162162

## **2"** • **16 Ga. Gate** Hot-Dipped Galvanized Gate



HOT-DIPPED GALVANIZED

Hot-Dipped Galvanized Heavy-duty gate designed for crowding livestock areas with square corners for increased animal protection. Finished in a hot-dipped galvanized solution for long lasting performance and protection.

3/4" x 12" bolt hooks.

	/
1	

	L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. Braces	HOT-DIPPED GALV ITEM #
	2" • 1	6 GAUGE H	OT-DIPPE	:D Galvai	NIZED GATE	
	4	2	50	47	0	40129049
-	6	2	50	62	0	40129069
	8	2	50	80	1	40129089
Ī	10	2	50	95	1	40129109
	12	2	50	111	1	40129129
	14	2	50	131	2	40129149
	16	2	50	149	2	40129169

**Note:** All gates are 4" less than listed length to allow for gate hardware and proper clearance.




# 2" • 16 Ga. Gate

## Heavy-Duty 2"x 4" Mesh Gate

Heavier than our standard wire-filled gate, our Heavy-Duty Mesh Gates are filled with the same rugged 2" x 4" mesh with heavier gauge 2" tube frame. This is the heaviest mesh gate available and constructed for more rugged use than the standard wire-filled gate. Finished with our premium powder coat paint. 3/4" x 12" bolt hooks.

				<b>H</b>	D GR
L (FT)	tube (IN)	HT (IN)	WT (LB)	vert. Braces	GREEN ITEM #
2" •	16 GAU0	GE Heav	y-duty \	WIRE-FILLE	D GATE
4	2	50	39	0	40135042
6	2	50	50	0	40135062
8	2	50	67	1	40135082
10	2	50	79	1	40135102
12	2	50	90	1	40135122
14	2	50	106	2	40135142
16	2	50	119	2	40135162





# **Wire-Filled Gate**

#### 2"x 4" Mesh Gate Painted or Galvanized Finish

The Wire-filled Gates are filled with 2" x 4" mesh and are ideal for yards, confinement of small animals, or as a non-climb horse gate. Available finished in premium powder coat paint or galvanized finished for increased protection. 5/8" x 6" screw hooks.







L (FT)	tube (IN)	HT (IN)	WT (LB)	VERT. Braces	GALV ITEM #	GRAY ITEM #	GREEN ITEM #	BLACK ITEM #
PAIN	ITED MEC	DIUM-D	UTY WIR	RE-FILLED G	ATE			
3	1.625	50	18	0	-	40132037	40132032	40132035
4	1.625	50	22	0	-	40132047	40132042	40132045
6	1.625	50	29	0	-	40132067	40132062	40132065
8	1.625	50	40	1	-	40132087	40132082	40132085
10	1.625	50	48	1	-	40132107	40132102	40132105
12	1.625	50	56	1	-	40132127	40132122	40132125
14	1.625	50	63	2	-	40132147	40132142	40132145
16	1.625	50	74	2	-	40132167	40132162	40132165
GAL	vanized i	MEDIU	M-DUTY	WIRE-FILLE	d gate			
3	1.625	50	20	0	40183038	-	-	-
4	1.625	50	24	0	40183048	-	-	-
6	1.625	50	32	0	40183068	-	-	-
8	1.625	50	43	1	40183088	-	-	-
\10	1.625	50	52	1	40183108	-/	-	-
12	1.625	50	60	1	40183128	/-	-	-
14	1.625	50	69	2	40183148	/ -	-	-
16	1.625	50	79	2	40183168	-	-	-

Note: All gates are 4" less than listed length to allow for gate hardware and proper clearance.

# **Heaviest Mesh Gate in the Industry!**

# Hog Mesh Gate 💻 🐽

GALVANIZED

The Hog Mesh Gate is galvanized for long life. The 6 gauge mesh woven in a "hog" pattern is 40% heavier than the competition! Features variable spacing in the mesh which is best for small animals. Bolt-on hinges allow gate to be easily reversed when hanging two gates together. Square corner. 5/8" x 6" screw hooks.

L (FT)	tube (IN)	HT (IN)	WT (LB)	VERT. BRACES	GALVANIZED ITEM #
HOG M	IESH GATE				
4	1.625	50	20	0	40115048
6	1.625	50	24	0	40115068
8	1.625	50	36	1	40115088
10	1.625	50	42	1	40115108
12	1.625	50	49	1	40115128
14	1.625	50	58	2	40115148
16	1.625	50	64	2	40115168
18	1.625	50	73	3	40115188

# Deer/Wildlife Gate

GALVANIZED

The Deer/Wildlife Gates are designed to keep deer, elk, and other wildlife out of your fields. This 84" tall gate is galvanized for long life and has three bolt and hook hinges that make the gate reversible for any application. The tubular and mesh design is perfect for keeping unwanted animals out of designated areas. 5/8" x 12" bolt hooks.

L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. Braces	Galvanized Item #
DEER/\	NILDLIFE (	GATE			
4	1.625	84	56	-	40107048
8	1.625	84	96	-	40107088
10	1.625	84	114	-	40107108
12	1.625	84	132	-	40107128

# **Medium-Duty Gate**


**Collared Hinge Gate** 



The collared hinge medium-duty gate has 6 rails and is 50" tall. Built with 16 gauge verticals and 20 gauge fill pipe for increased strength and durability. The vertical z-braces offer extra strength and support. Finished with long-lasting, UV resistant powder coat finish. Comes with plated chain and snap assembly.







**Note:** All gates are 4" less than listed length to allow for gate hardware and proper clearance.

L (FT)	TUBE (IN)	HT (IN)	WT (LB)	VERT. 'Z' Braces	GREEN ITEM #
MEDI	UM-DUTY S	QUARE C	ORNER C	OLLARED HI	NGE GATE
4	1.625	50	30	0	40140042
6	1.625	50	37	0	40140062
8	1.625	50	46	1	40140082
10	1.625	50	54	1	40140102
12	1.625	50	64	2	40140122
14	1.625	50	72	2	40140142
16	1.625	50	81	3	40140162
18	1.625	50	89	3	40140182
20	1.625	50	97	3	40140202

GATES

# 7 Rail Gate RED RED GREEN GREAN GREAN

The 7 Rail Gate features additional rails added at bottom of gate and spaced closer together for added animal safety. Finished with our premium powder coat paint.  $5/8 \times 12^{"}$  bolt hooks.

#### Note: Black & Galvanized 7 Rail Gates are not available in the West Region

L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. 'Z' Braces	RED ITEM#	GREEN ITEM #	BLACK ITEM #	GRAY ITEM #	GALV ITEM #
7 R/	AIL GATE								
4	1.625	50	27	0	40169041	40169042	40169045	40169047	40175048
6	1.625	50	38	0	40169061	40169062	40169065	40169067	40175068
8	1.625	50	46	1	40169081	40169082	40169085	40169087	40175088
10	1.625	50	58	2	40169101	40169102	40169105	40169107	40175108
12	1.625	50	66	2	40169121	40169122	40169125	40169127	40175128
14	1.625	50	74	3	40169141	40169142	40169145	40169147	40175148
16	1.625	50	84	3	40169161	40169162	40169165	40169167	40175168
18	1.625	50	95	3	40169181	40169182	40169185	40169187	-
20	1.625	50	104	3	40169201	40169202	40169205	40169207	-

# Landowner Gate 💻 🕡



Landowner Gate visibility is ensured both day and night with reflective decals. Telescopes 12'-20' to fit most openings and accepts most padlocks (not included). Heavy collared hinge keeps gate from sagging, and makes theft or removal of gate difficult. Constructed with 2" 18 ga. high tensile strength steel.

- Extends 12'-20'
- WT 33 lb
- Item # 40100122

# **Galvanized Gate**

#### 6 Rail Gate

U

GALVANIZED

Ideal for non-crowding applications such as pastures, field entrances, and coastal or corrosive areas. Gates have galvanized finish with welded latch and plated chain included. 5/8" x 6" screw hooks.



GATES

J <mark>.</mark>	





L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. 'Z' Braces	GALVANIZED ITEM #
GALVA	NIZED GATE	E 6 RAIL			
4	1.625	50	20	0	40113048
6	1.625	50	28	0	40113068
8	1.625	50	37	1	40113088
10	1.625	50	44	́1	40113108
12	1.625	50	50	/ 1	40113128
14	1.625	50	60 /	2	40113148
16	1.625	50	67	2	40113168
18	1.625	50	77	3	40113188

Note: All gates are 4" less than listed length to allow for gate hardware and proper clearance.

# **Utility Gate** Our Best Selling Gate!


Designed for tame animals, entrances to pastures and driveways. Combines low cost and great features. Finished with our premium powder coated paint. 5/8" x 6" screw hooks.



Utility Gates Available in Round or Square Corners



GREEN BLACK



GRAY

RED

L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. 'Z' Braces	RED ITEM #	GREEN ITEM #	GRAY ITEM #	BLACK ITEM #
ROUND	CORNER							
4	1.625	50	19	0	40130041	40130042	40130047	40130045
6	1.625	50	26	0	40130061	40130062	40130067	40130065
8	1.625	50	34	1	40130081	40130082	40130087	40130085
10	1.625	50	42	1	40130101	40130102	40130107	40130105
12	1.625	50	49	1	40130121	40130122	40130127	40130125
14	1.625	50	55	2	40130141	40130142	40130147	40130145
16	1.625	50	63	2	40130161	40130162	40130167	40130165
18	1.625	50	72	3	40130181	40130182	40130187	40130185
SQUARE	CORNER							
4	1.625	50	19	0	-	40136042	40136047	40136045
6	1.625	50	26	0	-	40136062	40136067	40136065
8	1.625	50	34	1	-	40136082	40136087	40136085
10	1.625	50	42	1	- /	40136102	40136107	40136105
12	1.625	50	48	1	- /	40136122	40136127	40136125
14	1.625	50	55	2	-/	40136142	40136147	40136145
16	1.625	50	63	2	/-	40136162	40136167	40136165
	Note: All g	ates are	4" less tha	an listed len	gth to allow fo	r gate hardware a	nd proper clear	ance.

11

# **Gate Accessories**



**Bolt Hook - 1-5/8**" Replacement bolt hook for installation of 1-5/8" gates.

Item # 42900038

Weight 2 lb 0.625 x 12 inches

Bolt Hook - 2" Replacement bolt hook for

installation of 2" gates. Item # 40300029

Weight 2 lb 0.75 x 12 inches



#### Screw Hook

Zinc plated screw hook for extra support of gates.

Item # 3208159

Weight 1 lb 0.625 x 6 inches



#### Heavy-duty Hinge

Heavy-duty two piece 2" hinge with bolt hook, compatible with all Behlen Country 2" gates.

#### Item # 2208075

Weight 4 lb



Hinge - 1-5/8" Zinc plated hinge for all 1-5/8" gates. Includes hardware.

Item # 40113018

Weight .5 lb



Hinge - 2" Zinc plated hinge for all 2" gates. Includes hardware. Item # 40300019

Weight 1 lb



**90° Corner Bracket** Used to attach gates to walls, accommodates 2" gates only. Item # 40100037

Weight 2 lb



# Horse Gate Latch

Allows gate to be opened from horseback, adjustable and reversible.

#### Item # 44112207

Weight 7 lb



#### Chain & Snap Assembly

Chain and Snap comes pre assembled and ready to use.

#### Item # 1488039

Weight .5 lb



Flat Bracket Used to attach gates to walls, accommodates 2" gates only.

Item # 40100047

Weight 2 lb



#### Double Piston Lever Latch

Allows easy opening of gate from horseback. For 2" gates only.

Item # 44110132

Weight 16 lb



#### Hanging Clip - 1-5/8"

Allows for attaching a gate or corral panel to a post or flat surface.

Item # 35125195

Weight .25 lb



UPS shipping is available for items on this page.



#### Allows for attaching a gate or corral panel to a post or flat surface. Item # 35600295

Hanging Clip - 2"

Weight .25 lb

# **Gate Hardware Packages**

Behlen Country hardware packages are weatherproof and sun-resistant. No other livestock equipment manufacturer offers this easy-to-use, complete kit. Offer your customers something unique!

• High quality, rust-resistant, plated hardware compared to painted.

• Chain attached after fabrication which leaves the gate with the best possible finish. Chain is NOT welded to the gate which can leave a hole in the gate and a rusty spot for decreased life.

• No worries with installation as Behlen Country<sup>®</sup> includes gate installation instructions with every package.


• Strong, UV resistant covering on hardware packages for extended life.

• Easy identification for individual ordering with the large, easy-to-read barcode.




Package 1 Two 5/8" x 6" screw hooks, two 1-5/8" hinges, chain with snap and hardware.

Item # 40900158



Package 4 Two 5/8" x 12" bolt hooks and two 1-5/8" hinges, chain and hardware.

Item # 40900198



Package 2 Two 3/4" x 12" bolt hooks, two 2" hinges, chain and hardware.

Item # 40900108



Package 5 Three 5/8" x 6" screw hooks and three 1-5/8" hinges and chain assembly with snap.

Item # 40900208



Package 3 Three 3/4" x 12" bolt hooks, three 2" hinges, chain and hardware.

Item # 40900118

UPS shipping is available for gate hardware packages.

NOTE: There is a minimum dollar amount for all UPS shipping orders. Please call us at 800-447-2751 or visit www. behlencountry.com for more information.

#### Gate Stands

The peg style gate stand allows gates to be merchandised vertically, allowing customers to fully inspect and visualize gates in use. Gates can be stored on pegs for secure display or double the capacity by setting gates between pegs. Stand is finished with our premium Powder Coat Paint.



6 Peg Gate Stand (sold in pairs)

Item # 82100607

Weight 12 lb

# 

15 Peg Gate Stand Item # 82100610YEL Weight 40 lb

#### Gate Rack

**Gate Racks & Stands** 

Display Rack designed with two levels for showcasing gates. May be anchored to concrete or asphalt. Holds up to 40 2" gates or kennels.

#### Item # 82100307

Weight 281 lb



#### Single Tier Rack

Display Rack designed with one level for showcasing gates. Can be anchored to concrete or asphalt. Holds up to 20 2" gates.

#### Item # 82100207

Weight 218 lb







# How to calculate your round pen:

1.) To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle). 2.) Divide the circumference by the length of panels being used. This will equal the number of panels needed.

	ROUND PEN CHART DIAMETER OF HOLDING AREA (FEET)																
	20'	25'	30'	35'	40'	45'	50'	55'	60'	65'	70'	75'	80'	85'	90'	95'	100'
10' PANEL	6	8	9	11	13	14	16	17	19	20	22	24	25	27	28	30	31
12' PANEL	5	7	8	9	10	12	13	14	15	17	18	20	21	22	24	25	26
		NUMBER OF PANELS NEEDED															

**NOTE:** SIZES ARE APPROXIMATE. QUANTITIES ABOVE INCLUDE ENTRANCE PANEL OF SAME LENGTH AS CORRAL PANEL. PEN DIAMETERS WILL VARY DEPENDING ON SIZE OF ENTRANCE PANEL OR ARCH GATE.

14



# **2" • 16 Ga. Panel** Heavy-Duty

XT Corral Panels | 6 Rail • 72" Tall The XT Corral Panel is designed for training horses in round pens. Square corners and tight chain connections reduce space between panels (butterfly clamps are

optional). Finished with either our premium powder coat paint or our long-lasting hotdipped galvanized finish.

HOT-DIPPED GALVANIZED 🛛 🔵 GRAY

HD



XT 12' Entrance Panel w/ 6' x 7' Arch Gate, finished with long-lasting hotdipped galvanized finish.



XT 12' Entrance Panel w/ 6' x 7' Arch Gate, finished with premium powder coat paint.


DESCRIPTION	LENGTH (FEET)	TUBE WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (Pounds)	VERT. Braces	HOT-DIPPED GALV. ITEM #	GRAY ITEM #
XT HOT-DIPPED GALVANIZED	ITEMS						
XT Corral Panel	12	2	72	96	1	44131129	-
XT 6 x 9 Arch Gate	6	2	108	86	-	44131019	-
XT 12' Ent Pnl Arch w/ 6 x 7 Gate	12	2	84	125	-	44131039	-
XT GRAY POWDER COAT PAIL	NT ITEMS						
XT Corral Panel	12	2	/72	92	1	-	44131127
XT 6 x 9 Arch Gate	6	2	108	84	-	-	44131017
XT 12' Ent Pnl Arch w/ 6 x 7 Gate	12	2 /	84	120	-	-	44131037

# 2" • 16 Ga. Panel

#### Heavy-Duty Crowding Corral Panels | 66" Tall

The Crowding Corral panels are designed specifically for crowding situations with square corners, J-legs and pin hookups. These corral panels are built for rough use and include Pin Hookups for easy connection. Our unique J-leg design has a small contact point with the ground to prevent unwanted panel movement. Finished with our premium powder coat paint.





LENGTH (FEET)	TUBE WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (POUNDS)	VERT. BRACES	GREEN ITEM #
2" • 16 GAUGE CROWE	ING CORRAL PANEL				
8	2	66	79	1	44123082
10	2	66	94	1	44123102
12	2	66	108	1	44123122
14	2	66	127	2	44123142
16	2	66	141	2	44123162
10' Ent. Pnl w/4' Gate	2	84	115	-	44123022


# **Inverted Arch Panel**

## Heavy-Duty

16

Inverted Arch Panels are made of extra heavy, rectangular steel tubing and can be used with Behlen Country<sup>®</sup> Utility or Crowding Panels. Finished with our premium powder coat paint.





LENGTH (FEET)	TUBE WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (POUNDS)	VERT. BRACES	GREEN ITEM #
INVERTED ARCH PAN	EL				
10	2	66	130	-	40168102
12	2	66	141	- /	40168122
2" 16 GAUGE GATES (	Suitable to use with Inve	erted Arch Panel)			
8	2	50	72	1 /	40120082
10	2	50	86	1/	40120102


Note: It is recommended that the 2" 16 ga. gate be used with the inverted arch. Gates used with inverted arches are to be ordered the next size smaller than the arch gate. Example: 10' inverted arch will use and 8' gate.

# Behlen Country's Best Value for the Cattle Producer

# **Medium-Duty Corral Panel**

The Medium-Duty Corral Panels are designed with square corners, J-legs and pin hookups. These corral panels are built for rough use and include Pin Hookups for easy connection. Our unique J-leg design has a small contact point with the ground to prevent unwanted panel movement. Premium powder coat paint finish.






GREEN 🔴 RED

LENGTH (FEET)	TUBE WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (Pounds)	VERT. BRACES	RED ITEM #	GREEN ITEM #
MEDIUM-DUTY CORR	AL PANEL					
8	1.625	60	62	1	44120081	44120082
10	1.625	60	73	1	44120101	44120102
12	1.625	60	84	1	44120121	44120122
14	1.625	60	106	2	44120141	44120142
16	1.625	60	119	2	44120161	44120162
4 x 7 Arch Gate	1.625	84	54	-	44120181	44120182
10' Ent. Panel w/4' Gate	1.625	84	93	-	44120201	44120202
12' Ent. Panel w/4' Gate	1.625	84	106	-	44120221	44120222

# Custom Livestock Pens

Behlen Country Custom Livestock Pens are the perfect solution for animal containment at livestock shows, fair grounds, and equine facilities.

# Bid projects only, please call for quote 800-447-2751.



DESCRIPTION	HT (IN)	WT (LB)	GRAY ITEM #
4' Fair Panel w/Gate	41	67	74122817
5' Fair Panel w/Gate	41	77	74122777
6' Fair Panel w/Gate	41	91	74122707
4' Fair Panel	41	46	74122787
5' Fair Panel	41	56	74122747
6' Fair Panel	41	67	74122737
10' Fair Panel	41	99	74122697
4' Fair Panel w/Gate	49	76	74122517
5' Fair Panel w/Gate	49	86	74122477
6' Fair Panel w/Gate	49	100	74122407
4' Fair Panel	49	54	74122487
5' Fair Panel	49	66	74122447
6' Fair Panel	49	79	74122437
10' Fair Panel	49	119	74122397

# CORRAL PANELS

# Horse Country Panel

Pin Hook-Up or Chain Hook-Up

The Horse Country Panel is designed specifically for horse owners. It is taller and heavier than our standard utility panel. Our unique J-leg design has a small contact point with ground to prevent unwanted panel movement. Finished with our premium powder coat paint.




# **Galvanized Utility Panel** 64" Tall, Pin or Chain Hook-Up

The Galvanized Utility Corral Panels combine lower cost with great features. Great value in a corral panel; portable and easy to hook up on uneven ground with pin or chain hook-ups. Galvanized finish for increased rust protection and longer life.



GALVANIZED





1	
$\mathbf{\nabla}$	

DESCRIPTION L (FT)	TUBE (IN)	HT (IN)	WT (LB)	vert. Braces	GRAY ITEM #	GREEN ITEM #	GALV. ITEM #
HORSE COUNTRY	CORRAL	Panel - P	IN HOOK	-UPS			
10	1.625	64	54	1	44144107	44144102	-
12	1.625	64	64	2	44144127	44144122	-
16	1.625	64	83	3	44144167	44144162	-
6' x 9' Arch Gate	1.625	108	57	-	44144017	44144012	-
10' Ent. Panel w/ 6' x 7' Arch Gate	1.625	84	70	-	44144027	44144022	-
12' Ent. Panel w/ 6' x 7' Arch Gate	1.625	84	80	-	44144037	44144032	-
HORSE COUNTRY	CORRAL	PANEL - C	HAIN HO	OK-UPS			
10	1.625	64	53	1	44146107	44146102	-
12	1.625	64	64	2	44146127	44146122	-
16	1.625	64	82	3	44146167	44146162	-
6' x 9' Arch Gate	1.625	108	56	-	44146017	44146012	-
10' Ent. Panel w/ 6' x 7' Arch Gate	1.625	84	75	-	44146027	44146022	-
12' Ent. Panel w/ 6' x 7' Arch Gate	1.625	84	83	-	44146037	44146032	-
GALVANIZED UTI	LITY CORR	al panel	- PIN HO	OK-UPS			
12	1.625	64	62	1	-	-	44142128
6' x 9' Arch Gate	1.625	108	60	-	-	-	44142018
12' Ent. Panel w 6' x 7' Arch Gate	1.625	84	82	-	-	-	44142038
GALVANIZED UTI	LITY CORR	AL PANEL	- CHAIN	HOOK-UPS			
12	1.625	64	61	1	-	-	44127128
6' x 9' Arch Gate	1.625	108	60	-	-	-	44127028
12' Ent. Panel w/ 6' x 7' Arch Gate	1.625	84	82	-	-	-	44127038

# **Utility Corral Panel**

## 60" Tall, 6 Rail, Pin Hook-Up

The Utility Corral Panels combine lower cost with great features. Great value in a corral panel; portable and easy to hook-up on uneven ground with Pin hook-ups. Finished with our premium powder coat paint.





## Available in Round and Square Corners!






LENGTH (FEET)	TUBE WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (POUNDS)	VERT. Braces	RED ITEM #	GREEN ITEM #	GRAY ITEM #
UTILITY CORRAL PANEL - R	OUND CORNER						
10	1.625	60	46	1	44121101	44121102	44121107
12	1.625	60	52	1	44121121	44121122	44121127
16	1.625	60	67	2	44121161	44121162	44121167
4' x 8' Arch Gate	1.625	96	56	-	44121181	44121182	44121187
6' x 9' Arch Gate	1.625	108	57	-	44121011	44121012	44121017
12' Ent. Panel w/6' x 7' Arch Gate	1.625	84	76	-	44121031	44121032	44121037
UTILITY CORRAL PANEL - SO	QUARE CORNER						
10	1.625	60	46	1	-	44122102	44122107
12	1.625	60	52	1	-	44122122	44122127
16	1.625	60	66	2	-	44122162	44122167
6' x 9' Arch Gate	1.625	108	60	-	-	44122012	44122017


# **Kidding Pen**

Kidding Pens offer easy assembly for portability and are ideal for confinement at shows and fairs. Several size panels allow for multiple configurations.

DESCRIPTION	tube (IN)	HT (IN)	WT (LB)	GRAY ITEM #
A. 5' x 7'-9" Arch Gate Panel	1.625	48	67	74123017
B. 5' Panel	1.625	48	29	74123057
C. 8' Panel	1.625	48	47	74123087
D. 10' Panel	1.625	48	55	74123107







D.

# CORRAL PANELS

# **Panel Accessories**



#### Corral to Wall Panel Hook-up (Male)

Allows corral panels to be attached to a flat wall.

#### Item # 44110407

Weight 3 lb



#### Corral to Wall Panel Hook-up (Female) Allows corral panels to be attached to a

flat wall.

#### Item # 44110417

Weight 2 lb



# Galvanized Butterfly Clamps for 1-5/8" Tubing

Galvanized clamps add more stability and strength to corral panels with standard chain hook-ups. 2 pair.

Item # 38900069

Weight 2 lb



#### Painted Butterfly Clamps for 1-5/8" Tubing

Painted clamps add more stability and strength to corral panels with standard chain hook-ups. 2 pair.

#### Item # 38900067

Weight 2 lb



# Galvanized Butterfly Clamps for 2" Tubing

Galvanized clamps add more stability and strength to corral panels with standard chain hook-ups. 2 pair.

#### Item # 44900069

Weight 2 lb



Chain Hardware Package Used to fasten panels with chains. Bolt and nut included. 1 Chain.

Item # 44900100

Weight 1 lb



#### 1 5/8" Plastic Cap for Gates or Panels

This 1 5/8" plug fits all Behlen Country gates and corral panels.

## Item # 1448107

Weight .02 lb

**CORRAL PANELS** 



#### Chain Hardware Package Used to fasten panels with chains. Bolts and nuts included. 2 Chains.

Item # 44900090

#### Weight 3 lb



#### 2" Plastic Cap for Gates or Panels

This 2" plug fits all Behlen Country gates and corral panels.

# Item # 1448108

Weight .02 lb



# Painted Butterfly Clamps for 2" Tubing

Painted clamps add more stability and strength to corral panels with standard chain hook-ups. 2 pair.

#### Item # 44900067

Weight 2 lb

#### **Corral Adapter Rod**

Used as a drop pin for hooking uncommon pin hookup corral panels together. Heavy 9/16" diameter rod will take rugged abuse.

#### Item # 44110309

Weight 4 lb



UPS shipping is available for items on this page.


# Longest lasting Fence Panels on the Market!

• All panels are **hot-dip galvanized** after welding so all weld spots are completely covered, eliminating rust and corrosion at all "shear" points and joints.

• Zinc dramatically increases fence life, eliminates rust and reduces rod separation.

- Hot-dipped galvanized delivers more than 3 times the protection of pre-galvanized rod.
- Available in a wide range of sizes for various applications.

WARRANTY NOTE: Fence Panels have a FIVE-YEAR WARRANTY.



ZUNAN

More Zinc than the Competition!

DESCRIPTION	(INCHES)	(FEET)	QTY	# OF LINE WIRES	(POUNDS)	ITEM #
50" Combo 5 Ga.	50	16	50	13	35	33150999
50" Cattle 5 Ga.	50	16	50	10	29	33150739
34" Hog	34	16	50	11	27	33150979
60" Horse Security 6 Ga.	60	16	20	16	69	33150759
60" Horse Security 6 Ga.	60	8	20	16	34	33150659
60" Hi-Five 5 Ga.	60	16	20	16	55	33150219
36" Hi-Five 5 Ga.	36	16	25	10	36	33150789
36" Hi-Five 5 Ga.	36	8	25	10	18	33151029

# FENCE PANELS

# Modular Horse Stalls 💻

- Powder Coated Panels are finished with full baked gray premium powder coated polyester paint.
- **Premium Hot-Dipped Galvanized Panels** are hot-dipped galvanized after fabrication for the ultimate in corrosion resistance and long life.



Gray Powder Coated Stall Pictured (Wood Customer Supplied)

# **Stall Features**

- Affordable, easy-to-set-up modular system allows for various row configurations.
- Heavy 14 gauge, 2" round tube framing is used for extra strength and stability. Horse Stalls are 84" tall.
- 1/2" solid vertical rods spaced 3" apart allow for better ventilation and viewing.
- Each reversible stall front comes with a 4' left-hand rolling door and 2' feeder door.
- Feeder door swings out easily and is low enough to allow even a child to use.

- Main door rollers on top allow the door to glide easily with minimal effort.
- Optional Corner Feeders can be attached for feeding from outside the stall.
- Lower 4' of stall can be filled with 2" (customer supplied) lumber (Comes with a chart that explains how to cut the wood. Designed to accept any 2" planed lumber ie. 2" x 6", 2" x 8", etc.)
- For quantities of more than thirty (30) stalls, please call for lead time.

NOTE: Feed door not to be used as a breezeway opening. Do not leave feed door open when not attended.







Reversible latches allow stall to be easily configured as right or left entrance.




Feed Door Latch



#### 

# **Stall Connectors**

NOTE: Stall Connectors do not come with panels - they must be ordered separately.



	111111111111	1111111111	
LENGTH & DESCRIPTION	WT (LB)	ship Ups*	ITEM #
GRAY POWDER COATED MODULA	R HORSE S	TALLS	
10' Front Panel w/Door, w/Bars	198	-	76110267
10' Stall Panel w/Bars	144	-	76110277
10' Solid Panel	124	-	76110247
12' Front Panel w/Door, w/Bars	218	-	76110287
12' Stall Panel w/Bars	169	-	76110297
12' Solid Panel	144	-	76110257
12' Solid Front Panel w/ Door	180	-	76110727
PREMIUM HOT-DIPPED GALVANIZ	ED HORSE	STALLS	
10' Front Panel w/Door, w/Bars	198	-	76110269
10' Stall Panel w/Bars	143	-	76110279
10' Solid Panel	122	-	76110249
12' Front Panel w/Door, w/Bars	218	-	76110289
12' Stall Panel w/Bars	167	-	76110299
12' Solid Panel	142	-	76110259
12' Solid Front Panel w/ Door	180	-	76110729
STALL CONNECTORS			
A. Wall (Pair)	2	Х	76110317
B. 2-Way (Pair)	3	Х	76110327
C. 3-Way (Pair)	5	Х	76110337
D. 4-Way (Pair)	6	Х	76110347
E. Gray Butterfly Clamps w/ Nuts & Bolts	2	Х	44900067
F. Galvanized Butterfly Clamps w/ Nuts & Bolts	2	Х	44900069

NOTE: Horse Stalls are 84" tall.

# Modular Shelt<mark>er Kits...</mark> Engineered to be Strong and Versatile.

# **Customized to fit YOUR** Operation!

Thirteen prepackaged kits integrate different collections of these great components:

- XT Corral Panels
- Stall Panels
- 12' Open Support Brace
- Shelter Packages
- Roof Connectors

HOT-DIPPED GALVANIZED GRAY

- Can be added to as your needs change.
- Considered a "portable shelter" (can be built in most areas without a building permit, check your local regulations).
- Includes 2" butterfly clamps (gray or galvanized).
- · Each stall corner and each connection between corral panels



requires a pair of connectors; XT Panels come with chain hookups; however, butterfly clamps make a more sturdy connection.

- Corner and center foot pads keep corral panels from sinking.
- Provides a 40-psf roof snow load, 90-mph wind load, when properly installed with 29 gauge or heavier roof sheeting.

**IMPORTANT NOTE:** The Behlen Country Shelter System will work only with the Behlen Country 12' XT Corral Panels and Behlen Country 12' Stalls. Any substitution with other equipment may not work and will void all warranties. Behlen does not provide roof sheeting, ridge caps, roof screws or wood.

SHIPPING NOTES: Please contact us by phone at (800) 447-2751, for more information.

NOTE: Powder Coated panels are standard. Kits can be itemized to include Hot-Dipped Galvanized panels



## Kit 1 Item # 76078367

One 12' x 12' corral with roof framing package and an open front.


KIT CONTENTS	ITEM #
3) 12' XT Corral Panels	44131127
1) 12' Open Support Brace	76110697
1) Shelter Framing Package	76110678



## Kit 2 Item # 76078357

One 12' x 12' corral with shelter framing package and an entrance panel front.

KIT CONTENTS		ITEM	#
3) 12' XT Corral Pa	anels	44131	127
1) 12' XT Entrance	Panel	44131	037
1) Shelter Framing	Package	76110	678
1) Horse Gate Lato	h	/ 44112	207



## **Kit 3** Item # 76078387

One 12' x 12' Behlen Country stall with shelter framing package and open front.

KIT CONTENTS	ITEM #
3) 12' Solid Stall Sides	76110257
1) 12' Open Support Brace	76110697
1) Shelter Framing Package	76110678



#### **Kit 6** Item # 76078467

Two 12' x 12' Behlen Country stalls, side by side with solid panels, corral panel divider, open fronts, shelter framing package and add-on shelter package.

KIT CONTENTS	ITEM #
4) 12' Solid Stall Panels	76110257
1) 12' XT Corral Panel	44131127
2) 12' Open Support Braces	76110697
1) Shelter Framing Package	76110678
1) Add-on Shelter Package	76110708



## Kit 9 Item # 76078517

Two 12' x 12' corrals with entrance panel fronts and rears, a covered 12' breezeway and 12' x 24' runs.

KIT CONTENTS	ITEM #
14) 12' XT Corral Panels	44131127
4) 12' XT Entrance Panels	44131037
2) Shelter Framing Packages	76110678
2) 6' Center Roof Connectors	76110688
2) Horse Gate Latches (for fronts only)	44112207

## Kit 4 Item # 76078377

One 12' x 12' Behlen Country stall with shelter framing package, solid sides and front with sliding door and feed door.


KIT CONTENTS	ITEM #
3) 12' Solid Stall Sides	76110257
1) 12' Stall Front w/Door, w/Bars	76110287
1) Shelter Framing Package	76110678



## Kit 7 Item # 76078407

Two 12' x 12' corrals with entrance panel fronts, and a 12' wide covered breezeway.


KIT CONTENTS	ITEM #
6) 12' XT Corral Panels	44131127
2) 12' XT Entrance Panel	44131037
2) Shelter Framing Package	76110678
2) 6' Center Roof Connectors	76110688
2) Horse Gate Latch	44112207



## Kit 5 Item # 76078477

Two 12' x 12' corrals side by side, with corral panel divider, open fronts, shelter framing package and add-on shelter package.


KIT CONTENTS	ITEM #
5) 12' XT Corral Panels	44131127
2) 12' Open Support Braces	76110697
1) Shelter Framing Package	76110678
1) Add-on Shelter Package	76110708



## Kit 8 Item # 76078397

Two 12' x 12' Behlen Country stalls with solid sides and fronts with a sliding door and feed door, and a covered 12' wide breezeway.

KIT CONTENTS	ITEM #
6) 12' Solid Stall Panels	76110257
2) 12' Stall Fronts w/Door, w/Bars	76110287
2) Shelter Framing Packages	76110678
2) 6' Center Roof Connectors	76110688



25






## Kit 10 Item # 76078437

Four  $12' \times 12'$  corrals with entrance panel fronts and a covered 12' wide breezeway.


KIT CONTENTS	ITEM #
10) 12' XT Corral Panels	44131127
4) 12' XT Entrance Panels	44131037
2) Shelter Framing Packages	76110678
2) Add-on Shelter Framing	76110708
3) 6' Center Roof Connectors	76110688
4) Horse Gate Latches	44112207



### Kit 12 Item # 76078557

Four 12' x 12' corrals with entrance panel fronts and rears, a covered 12' wide breezeway and 12' x 24' runs.


KIT CONTENT	ITEM #
22) 12' XT Corral Panels	44131127
8) 12' XT Entrance Panels	44131037
2) Shelter Framing Packages	76110678
2) Add-on Shelter Packages	76110708
3) 6' Center Roof Connectors	76110688
4) Horse Gate Latches (for fronts only)	44112207



# Kit 11 Item # 76078427

Four 12' x 12' Behlen Country stalls with solid sides and fronts with sliding door and feed door, and a covered 12' wide breezeway.


KIT CONTENTS	ITEM #
10) 12' Solid Stall Panels	76110257
4) 12' Stall Fronts w/Door, w/Bars	76110287
2) Shelter Framing Packages	76110678
2) Add-on Shelter Framing	76110708
3) 6' Center Roof Connectors	76110688



## Kit 13 Item # 76078547

Four 12' x 12' Behlen Country stalls with solid sides, fronts with sliding door and feed door, and solid backs with sliding door, with a covered 12' breezeway, and 12' x 24' runs.

KIT CONTENT	ITEM #
6) 12' Solid Stall Panels	76110257
4) 12' Stall Fronts w/Door, w/Bars	76110287
4) 12' Solid Front Panel w/Door	76110727
16) 12' XT Corral Panels	44131127
2) Shelter Framing Packages	76110678
2) Add-on Shelter Framing	76110708
3) 6' Center Roof Connectors	76110688



# **Modular Shelter Components**

• NOTE: The Behlen Country shelter system will work only with Behlen Country 12' XT Corral Panels and Behlen Country 12' Stalls Panels. Any substitution with other equipment will not work and all warranties will be voided. Pictures showing installations complete with roof sheeting and wood sides are for reference only. Behlen Country does not provide roof sheeting, ridge caps, roof screws or wood, (Photos shown are variations of kits.) Behlen Country previously made a 12' x 12' shelter. None of these 12' x 15' shelter parts will fit the older units.

• NOTE: In a row of shelters, you would buy one Shelter Framing Package (76110678) and from that point on, you would buy all Add-ons (76110708). If you placed two shelters facing each other with a breezeway between them you would have to buy two Shelter Framing Packages and two 6' Center Roof Connectors (76110708). Each additional pair of facing stalls would require two more add-on framing packages and one more 6' center connector.

• NOTE: 6' Center Connectors are not used unless you are setting up pairs of shelters facing each other with a breezeway between them.



#### 12' XT Corral Panel Item # 44131127 (Grav) Item # 44131129 (Galvanized)

12' long, 6' high, 16/18 gauge 2" dia. tubing, chain hookups included.



#### **Shelter Framing Package** Item # 76110678

Basic roof framing for one pen or stall (12' x 15' w/front overhang), includes beams, purlins, shelter posts, butterfly clamps (to connect stall and XT Panels) and hardware.



#### 12' XT Entrance Panel Item # 44131037 (Gray) Item # 44131039 (Galvanized) 12' long, 6' high with 6' x 7' gate, used

for front (or back, or both) of XT pen.

#### Shelter Framing Package Add-on Item # 76110708

12' Open Support Brace Item # 76110697 (Gray)

Item # 76110699 (Galvanized)

When ordered as an individual

12' Stall Panel w/Bars

Item # 76110299 (Galvanized)

12' wide, 7' high, customer supplied

filler on bottom, solid steel vertical bars

Item # 76110297 (Gray)

on top.

If you leave the front or back of a pen


or stall open, you must use a 12' Open

Support Brace to hold the sides securely.

component, 4 pair (2 pkgs.) of butterfly


clamps must be ordered separately.

For second unit. Bolts to Shelter Framing Package, uses common beam. Includes beams, purlins, shelter posts, butterfly clamps (to connect stall and XT Panels) and hardware.




#### **6' Center Connector** Item # 76110688

This item makes a 6' piece that joins two shelters which are set up facing each other with a 12' breezeway in between. For a pair of shelters, you would buy two 6' Center Connectors. For each additional pair of stalls, you would buy one more center connector.



#### Filler NOT Included



#### 12' Stall Front w/Door, w/Bars Item # 76110287 (Gray) Item # 76110289 (Galvanized) 12' wide, 7' high, 4' wide sliding door,

2' wide feed door, (feeder optional), customer supplied filler on bottom, solid steel vertical bars on top.

#### 12' Stall Panel, Solid Item # 76110257 (Grav) Item # 76110259 (Galvanized)

12' wide, 7' high, metal frame with customer supplied filler on top and bottom.

# **Optional Horse Gate Latch**

Item # 44112207 Very simple, low-cost, bolt-on latch for XT Entrance Panel, or any other 1-5/8" or 2" Behlen gate.



## Filler NOT Included



# 12' Solid Stall Front w/Door

12' wide, 7' high, 4' wide sliding door, customer supplied filler on top and bottom.

**Filler NOT Included** 



# Item # 76110729 (Galvanized)

# Industry-Leading Equine Feeding & Watering Equipment



## **Wall Hay Rack**

Made with 3/8"dia. rod and finished with our gray premium powder coat paint. • H/W/D 27"/33"/13" Depth from wall is 13" • WT 15 lb





### **Corner Hay Rack**

Made with 3/8<sup>°</sup> dia. rod and finished with our gray premium powder coat paint.

• H/W/D 32"/30"/30" Depth from corner is 30" • WT 17 lb

Item # 76110907





#### **Galvanized Wall Feeder**

Holds hay and grain. Constructed of heavy galvanized steel and hay rack is constructed from solid, galvanized rod. Includes a poly trough that is rust and corrosion free.

• H/W/D 31"/24"/19" • WT 37 lb

ltem # 76110148



#### Galvanized Corner Feeder

Corner design holds hay and grain. Constructed of heavy galvanized steel and hay rack is constructed from solid, galvanized rod. Includes a poly trough that is rust and corrosion free. Compatible with Behlen Country stall fronts with feed door.

• H/W/D 27"/21"/24" • WT 32 lb

Item # 76110128





#### Swing Out Corner Feeder

For applications where a feed door is not already installed. \*Not intended for stall fronts with feed door.

• H/W/D 35"/20"/12" • WT 61 lb

ltem # 76110138



## Poly Wall Feeder w/Brackets

Poly Wall Feeder features onepiece molded unit with smooth edges and a galvanized hay rack. • H/W/D 28"/24"/18" Depth from

wall 18" • WT 19 lb

Item # 78110147




UPS shipping is available for all items on this page.





Made of poly with solid, galvanized rods for the hay rack. Onepiece molded unit with smooth, rounded edges for animal safety. Compatible with Behlen Country stall fronts with feed door.



#### **Poly Horse Grain Feeder**

Feeder helps prevent throwing, pushing or spilling feed from the bowl. Smooth edges prevent animal injuries. Can be mounted in the corner or on a flat surface. • H/W/D 11"/24"/15" Depth from wall 10" • WT 4 lb • 3.5 gal. cap. Item # 78110037



#### **Poly Utility Corner** Feeder

Large capacity feeder that will not rust, warp or deteriorate in sunlight. Includes drain for easy cleaning. • H/W/D 28"/24"/24" Depth from corner 30" • WT 19 lb Item # 78110027

#### **Multipurpose Storage Container** Features all-poly construction

that will not corrode or rust and a strong metal hinge to support the lid. Holds up to 400 lb of feed and can be divided into two compartments using 2 pieces of 1" thick lumber (customer supplied). • L/W/H 24"/25"/34" WT 33 lb • Gray

Item # 78110087

## **Grooming Step**

Made of strong roto-molded poly with a wide base design that is stable and the steps are slip resistant. Ideal extra step up when grooming or mounting a horse. • H/W/D 24"/24"/17" • WT 17 lb

Green



UPS shipping is available for all items on this page excluding 78110087, 76178562, 78110162 Please call us at 800-447-2751 or visit www.behlencountry.com for more information.



\*Tested 24 hours in a controlled environment.



## 5-Gallon Stall Waterer

One-piece, heavily insulated waterer, poly design is rust and corrosion free. Urethane in the walls provide over four times the insulation of competitors' models (tested to -20° F\*). • H/W/D 16"/18"/16" Depth from wall 12" • WT 14 lb

Item # 54140058S

#### **Patience Pole**

The 12' tall Patience Poles are designed with a hub and tether bar to allow the horse to freely move in a circle without becoming tangled. After a while, the horse realizes they aren't going to get anywhere, so they might as well stand and relax. Made with an industrial grade bearing that never requires lubrication the poles are attractive and require virtually no upkeep.

• WT 160 lb • Green

Item # 76178562





# Best Hay Saving Design on the Market!

## These bale feeders pay for themselves!

# HaySmart<sup>™</sup> Bale Feeder **■**

The Haysmart<sup>™</sup> Feeder keeps the bale suspended off the ground at an ideal eating height which increases hay utilization to more than 96% compared to 85% with other feeding methods. Finished with our premium powder coat paint. Superior strength and durability, 16 ga. heavy-duty sheeting, 14 ga. tubing, 16 ga. diagonal. Grade 5 plated hardware, ¼" Grade 40 high test chain.

Feeding Spaces 
 HT 72"
 WT 637 lb

Item # 26120512 GREEN

## V Bar Hay Feeder

Designed for feeding large, square bales up to 4' x 8', this rugged feeder is designed with longevity in mind due to the unique V Bar design. Heavy 14 & 16 gauge 2" tubing makes this one of our heaviest feeders.

Feeding Spaces 16 • HT 56.5"
WT 518 lb

Item # 26000302 🔵 GREEN



**FEEDING EQUIPMENT** 



Behlen



## Super-Duty

Constructed using 2" 14 gauge for the horizontal tubing and 1-5/8" 16 gauge tubing for the S-bar dividers. Finished with our premium powder coat paint.

• Feeding Spaces 15 • HT 52" • WT 252 lb

Item # 26100181 RED



## Hay Ring

Open top design for feeding both horses and horned cattle. Finished with our premium gray powder coat paint.

• HT 34" • WT 155 lb

Item # 26121027 GRAY



## Two Piece Heavy-Duty

Recommended for the toughest situations, constructed with heavy 1-5/8" slant bars and a 14 ga. oval tube frame. Two-piece construction makes for simple assembly.

 Feeding Spaces 15 • HT 46" • WT 171 lb RED RED Item # 26100311 **GREEN Item # 26100312** GREEN



Now **2x** more contact area for welding for way more strength and durability!

#### Heavy-Duty

A great heavy-duty feeder. 16 ga. S-Bar dividers save more hay. Heavy-duty 2" 16 ga. tube frame. Finished with our green premium powder coat paint.

• Feeding Spaces 15 • HT 52" • WT 224 lb Item # 26100552 GREEN



# Open Top

Open top design creates a horse safe feeder. Frame built with strong 16 ga. tubing. Finished with our gray premium powder coat paint.

• Feeding Spaces 9 • HT 50" • WT 176 lb

Item # 26121157 GRAY



Long-life polyethylene pipe design. Comes with a 7 year warranty. Available in quantities of 10.

NOTE: Holes are pre-drilled

• Feeding Spaces 6 • HT 46" • WT 100 lb

BLACK

Item # 3018500



## Sheeted Medium-Duty

Our best value sheeted feeder. 16 ga. S-bar dividers save more hay. Strong 16 ga. oval tube frame. Finished with our green premium powder coat paint.

Feeding Spaces 12 • HT 45" • WT 154 lb

GREEN



## Economy

Item # 26100522

The Economy Bale Feeder features a 16 gauge galvanized frame making it a durable feeder at a great price.

Feeding Spaces 12 • HT 42" • WT 106 lb

Item # 26100138 GALVANIZED



## Square Bale Feeder

This easy to use 4' x 8' square bale feeder features pin hook-ups and heavy-duty 2" 16 gauge tubing. Quickly get your animals fed with this great feeder.

•Feeding Spaces 14 • HT 52" • WT 181 lb


Item # 26170012 GREEN

## Hay Feeder Panels

Great for feeding hay in-line or from a stack, these panels can be connected together or mounted separately. Designed to withstand abuse from the toughest animals. Made from heavy 16 ga. 2" tubing. S-Bar Design saves hay and keeps calves out of the feed.



L (FT)	HT (IN)	WT (LB)	FEEDING SPACES	ITEM #
6	66	66	4	26178062
8	66	89	6	26178082
10	66	105	7	26178102
12	66	125	9	26178122







#### Calf Creep Feeders

Calf Creep Feeders are built with one-piece poly feed hoppers which feature molded-in side deflectors to provide protection from rainwater. Tall side height of galvanized grill and trough keep large animals from reaching into feed area and calf pass panel lets only calves in and keeps larger cows out.

DESCRIPTION	STALL W/L/H (INCHES)	FEEDER L/W (INCHES)	FEED/LB Capacity	CALF Capacity	WEIGHT (POUNDS)	ITEM #
Calf Creep Feeder - 750 lb	52 x 88 x 47	54.5 x 34	750	25	303	24121768
Calf Creep Feeder - 1200 lb	54 x 88 x 47	87.375 x 34	1200	40	408	24121778
Grill Pkg Only (fits both feeders)	-	-	-	-	130	24121518
Hopper Only - 750 lb	-	54.5 x 34	750	-	173	24121538
Hopper Only - 1200 lb	-	87.375 x 34	1200	-	287	24121548

## Calf Pass Panel 📃

The Calf Pass Panel is a versatile way to keep larger animals out of smaller animal feed areas. Chain connectors allow lockup to any post or panel. Provides 8 spaces with a width of 15" per space and maximum height of 46.5"

•L 12' • HT 66" • WT 111 lb

Item # 40168012 GREEN







#### Super Wind Vane Feeder

The hot-dipped galvanized base provides the most corrosive resistant base in the industry against salt, mud, manure, etc. The heavyduty sealed, plated bearing offers years of maintenance-free service and reliable spinning action. The 2 compartment poly feeder hood will not corrode. Optional face fly attachment.

- L/W/H 48" x 53" x 57" Green
- Capacity 3 cu. ft. 
   WT 94 lb

#### ltem # 28120002

Service Kit Item # 28120012 Face Fly Attachment Item # 28110080



#### **Super 3 Block Mineral Feeder**

Feeder features a 3 compartment base that is 9" taller than the standard model. The base has 3 anchor points to eliminate tipping.

- W/H 40" x 17" Capacity 4.6 cu. ft.
- WT 56 lb Green

Item # 28140212 Replacement Lid Item # 3018098



#### Wind Vane Feeder

The Wind Vane Feeder is tough, functional and economical. The all-poly rotating head protects the minerals and the wide base ring makes for a long, functional, and useful life.

- L/W/H 48" x 48" x 58" Black/Gray
- Capacity 1.9 cu. ft. WT 59 lb Item # 28040307



#### **3 Block Mineral Feeder**

Tough enough for bulls and easy enough for small animals. The self-closing rubber cover keeps out rain, snow and dirt and has 3 compartments to hold material.

- W/H 40" x 8" Capacity 3.5 cu. ft.
- WT 40 lb Gray

#### Item # 28140197 Replacement Lid Item # 3018098 Hardware Pkg Item # 28300888



#### **Liquid Feeder**

The Liquid Feeder is a great way to give your cattle access to liquid feed. The graduated scale shows liquid feed levels on the translucent poly body. The top lid design elevates the wheels, so water cannot easily enter the tank, protecting your feed investment. The feeder comes with two wheels and can accommodate up to two more! The permanently attached fill cover makes filling the tank a breeze.

- L/W/H 71" x 71" x 36" Orange/White
- Capacity 285 gallons WT 110 lb

Item # 28010204



#### **4 Block Mineral Feeder**

This 4 compartment feeder is tough enough for bulls and easy enough for small animals. The self-closing rubber cover keeps out rain, snow and dirt.

- W/H 48" x 7" Capacity 5.0 cu. ft.
- WT 63 lb Gray

#### Item # 28140207

Replacement Lid Item # 3018097 Hardware Pkg Item # 28300888

## **Heavy-duty All** Metal Feed Bunk

One of the toughest made feed bunks in the industry! This feed bunk is ideal for any size cattle herd. Can be easily moved from pen to pen. Line up multiple units to guickly feed more animals. This unit's heavy-duty construction and high quality, powder coat finish makes it an asset for any size cattle operation.

- Extra Large Capacity •14 ga. trough
- L/W/H 10' x 40" x 24"
- Trough Depth 14"
- · Bunk Capacity 30 cu. ft.
- WT 242 lb

#### Item # 22130101

# Our all metal bunks are heavier, stronger, and hold more than the competition!



REPLACEMENT BUNK LINERS •5' Item # 2958301 •10' Item # 2958302 •11' Item # 2958360

RED



## 11' Standard Feed Bunk

The Standard Feed Bunk features heavy-duty 16 gauge tubular frame. Tough, one-piece trough insert prevents corrosion. The frame features smooth, all welded edges to prevent injury and square ends that allow multiple bunks to be bolted together.

- L/W/H 11' x 34" x 20" Trough Depth 10"
- Bunk Capacity 17.5 cu. ft. WT 113 lb

**GREEN Item # 22121942** 



GREEN

#### **10' Painted Feed Bunk**

Built with heavy-duty steel construction with a one-piece molded poly trough that features smooth, round corners. Square ends allow multiple bunks to be bolted together and are coated with our premium powder coat paint.

- L/W/H 10' x 34" x 19" Trough Depth 10"
- Bunk Capacity 12.5 cu. ft. WT 76 lb

Item # 22121791 RED



## 10' All Metal Utility Bunk

A long-lasting, heavy-duty steel construction with 48% more capacity than some of our biggest competitors' units. The legs of the utility metal feed bunk run the length of the unit to aid in preventing the feeder from sinking in the mud. The all metal utility bunk is made with 16 gauge metal, and is great for all sizes of cattle.

- L/W/H 10' x 33" x 20" Trough Depth 10" Bunk Capacity 13.29 cu. ft.
- WT 124 lb Item # 22120101 RED

## Poly Feed Bunks

All poly feed bunks are roto-molded with extra thick, FDA-approved, foodgrade polyethylene that is easy to clean and corrosion free. Poly feed bunks feature ribbed, double-wall construction. The deep, rounded feed troughs and drain openings help prevent spoiling of feed and are tested to -20°F. The plugable drain also allows these bunks to be used as water troughs.

#### Larger, Stronger, & will outlast the competition's. 10'

#### 5'

- L/W/H 5' x 31" x 20"
- Bunk Capacity 10 cu. ft.
- Bunk Depth 15" WT 51 lb

#### Item # 22122207

- L/W/H 10' x 31" x 20"
- Bunk Capacity 20 cu. ft.
- Bunk Depth 15" WT 112 lb
- Item # 22122217

POLY BUNK DRAIN PLUG Item # 1328286



# Check out our selection of Galvanized Feed Bunks and Hay Racks.

Behlen Country **Galvanized Feed Bunks** are built with heavy-duty steel construction and contain a one-piece molded poly trough that features smooth, round corners. Square ends allow multiple bunks to be bolted together and are coated with our premium powder coat paint. Select models accept our Galvanized Hay Rack. **Galvanized Hay Racks** allow the feeding of loose hay and grain at the same time. These racks bolt directly to the frame of the galvanized feed bunks and are made from solid 3/8" rod for extra durability. Hay Racks come complete with all mounting hardware.

REPLACEMENT BUNK LINERS •5' Item # 2958301 •10' Item # 2958302 •11' Item # 2958360



#### 10' Galvanized Feed Bunk

- L/W/H 10' x 34" x 19" Trough Depth 10"
- Capacity 12.5 cu. ft. WT 68 lb

Item # 22121798



#### 5' Galvanized Feed Bunk

- L/W/H 5' x 34" x 19" Trough Depth 10"
- Capacity 6 cu. ft. WT 36 lb

Item # 22121758



#### 5' Galvanized Sheep Bunk

- L/W/H 5' x 32" x 14" Trough Depth 10"
- Capacity 6 cu. ft. WT 36 lb

Item # 22121748



#### 10' Galvanized Horse Bunk

- L/W/H 10' x 42" x 35" Trough Depth 10"
- Capacity 12.5 cu. ft. WT 96 lb

Item # 76110098



Compact Feeder Offers BIG Capacity



#### 5' Galvanized Horse Bunk

- L/W/H 5' x 40" x 35" Trough Depth 10"
- Capacity 6 cu. ft. WT 50 lb

Item # 76121898

#### Deluxe Horse Feeder

This feeder works well when feeding horses in pastures or paddocks, designed with a galvanized hay rack over durable double tub poly liners. The heavy-duty galvanized steel construction allows this feeder to hold up to the harshest natural elements. Replacement liners are available.

- L/W/H 5' x 68" x 70"
- Trough Depth 10"
- Trough Capacity 12 cu. ft.
- Rack Capacity 15 cú. ft.
- WT 156 lb

#### Item # 76130108



## Galvanized Hay Racks

#### 5' Galvanized Hay Rack

• L/W/H 5' x 34" x 36" • Capacity 12 cu. ft. • WT 48 lb

Item # 76021908

#### **10' Galvanized Hay Rack**

- L/W/H 10' x 34" x 36" Capacity 24 cu. ft. • WT 80 lb
- Item # 22121818

# Big Value for your Small Animal Needs



#### All Metal Small Animal Feeder

All metal form made to withstand animal wear and tear. Poduct design and shallow feed pan deters animals from laying and climbing in while preventing feed from dropping to the ground. 4"x4" 5 gauge mesh hay rack

- L/W/H 48" x 28" x 40" Trough Depth 2.5"
- Trough Cap. 2 cu. ft. Rack Cap. 28 cu. ft.

RODUC

• WT 67 lb

Item # 22120051 🛑 RED





#### 5' Sheep & Goat Feeder w/Hay Rack

This bunk/rack system is built with heavy-duty steel construction and features a one-piece molded poly trough. The grid hay rack prevents waste and the rack placement (closer to the bunk) makes it easier for animals to reach.

- L/W/H 60" x 32" x 35.5" Trough Depth 10"
- Bunk Cap. 6 cu. ft. Rack Cap. 12 cu. ft.
- WT 74 lb

#### Item # 76021878





#### V Trough Feeder

V Troughs are 14 inches off the ground and include drain holes to prevent spoilage. Available in 4' and 8'  $\,$ 

**4'** • L/W/H 48" x 32" x 14" • WT 43 lb • Gray Item # 74023337

8' • L/ W/H 96" x 32" x 14" • WT 64 lb • Gray Item # 74023327





#### Sheep & Goat Wind Vane Feeder



The Sheep & Goat Wind Vane Feeder is tough, functional and economical. The all-poly rotating head protects the minerals and the wide base ring makes for a long, functional, and useful life.

• L/W/H 48" x 48" x 50" • Height to trough 14"

• Black/Gray • Capacity 1.9 cu. ft. • WT 52 lb

Item # 74010037



#### Feed Troughs

Made with heavy 14 gauge steel and Mig welded to assure leak-proof construction. Finished with our premium powder coat paint. Available in 2' and 4'

2' • L/ W/H 24" x 18" x 7" • WT 15 lb • Gray • Item # 56121027

4' • L/ W/H 48" x 18" x 7" • WT 26 lb • Gray • Item # 56121047



#### Economy Hog Feeders

The Economy Hog Feeders are made from galvanized steel and available in one or two-door configurations. Feeders have a trough feed adjustment control and come fully assembled. Not recommended for confinement installations.

P1 • L/ W/H 12" x 22" x 28" • Capacity 2. cu. ft. • WT 26 lb • Item # 70120058

P2 • L/ W/H 24" x 22" x 28" • Capacity 2.88 cu. ft. • WT 41 lb • Item # 70120048

#### Small Animal Poly Creep Feeders

Easily get young, small animals on feed with a Behlen Country Small Animal Creep Feeder. Multiple models available to accommodate a wide range of animals. A feed flow panel allows for the adjustment to the flow of feed to the animals. Corrosion resistant with a primarily poly design. Includes a feed saving lid (except on single hole model).

DESCRIPTION	HOLE SIZE	L/W/H	APPROX. Cap. cu. ft.	WT LB	ITEM #
1 HOLE	6.75" x 3"	7.5" x 3.75" x 11.5"	.125	2	70120015
4 HOLE	4.375" x 5.25"	23.5" x 7" x 19.5"	1.875	12	70120045
6 HOLE	4.5" x 5.25"	34.5" x 7" x 19.5"	2.5	19	70120065
10 HOLE	4.5" x 6"	29" x 8.5" x 20.5	3	23	70120105



# **Leading Supplier** of Galvanized **Stock Tanks**

The Behlen Country Galvanized Stock tanks are ideal for all your livestock watering needs. Built to endure the most severe farm and ranch conditions. Corrosion resistant, heavy zinc coating assures long life. Rigid sidewalls have both ribs and corrugations for maximum strength. Heavy galvanized tank bottoms (20 ga.). Heavy, reinforced steel tube rolled into the top lip for added strength and durability.

NOTE: Tank sizes are nominal and will be slightly less than stated size. For lower freight costs, two or three tanks of the same size must be nested, requiring the inner tanks to be undersized.

WARRANTY NOTE: Galvanized Tanks have a ONE-YEAR WARRANTY.

	NOMINAL SIZE W/H/L FT	NEST SIZE	APPROX. CAP. GAL.	ADJ. TANK BRACES	WT LB	MODEL #	ITEM #
	2' TALL ROUND-EN	id galvan	IZED TANKS				
	2 x 2 x 3	1	71	-	36	RE223	50130018
	2 x 2 x 4	3	103	-	43	RE224	50130028
	2 x 2 x 5	3	134	-	52	RE225	50130038
Ō	2 x 2 x 6	3	169	-	64	RE226	50130048
<b>UND</b>	2 x 2 x 8	2	224	1	83	RE228	50130058
	3 x 2 x 8	2	294	1	100	RE328	50130088
Ō	1' TALL SHALLOW	ROUND-EN	id galvanizi	ED TANKS			
	2 x 1 x 4	2	44	-	30	ST214	50130198
	2 x 1 x 6	2	70	-	44	ST216	50130218
	NOTE: Tanks must be ordered in nest quantities. Nest Size 1= Size A, Nest Size 2= Sizes A & B, Nest Size 3= A, B & C. Quantities other than 3 may be subject to a surcharge.						



Behler



	2' TALL ROUND GA	LVANIZEI	D TANKS
	3 x 2	2	85
	4 x 2	2	165
Ζ	6 x 2	3	389
	8 x 2	3	706
$\bigcirc$	10 x 2	3	1117
	1' TALL SHALLOW	ROUND (	ALVANIZED T
	1 x 4	2	90
	1 v 6	2	100

NEST

SIZE

NOMINAL SIZE

W/H FT

1 x 6 2 192 NOTE: Tanks must be ordered in nest quantities. Nest Size 1= Size A, Nest Size 2= Sizes A & B, Nest Size 3= A, B & C. Quantities other than 3 may be subject to a surcharge.

Our Galvanized Tanks aren't just for livestock, our customers find countless ways to utilize Behlen Country tanks!



#### Bottomless Planters

Made from the same steel as our galvanized stock tanks, this heavy-duty galvanized planter will make a great addition to any backyard garden. The 3 foot round makes a great fire pit ring.

NOMINAL SIZE W/H/L IN FEET	NEST SIZE	WT LB	ITEM #				
BOTTOMLESS PLANTERS							
3' dia. x 1' tall	2	19	50601368				
2 x 1 x 4	2	20	50601358				
2 x 1 x 6	2	24	50601378				

NOTE: Tanks must be ordered in nest quantities. Nest Size 1= Size A, Nest Size 2= Sizes A & B, Nest Size 3= A, B & C. Quantities other than 3 may be

#### **Galvanized Waterer Tanks**

- The poly waterer has a large opening the market it easier for animals to drink.
- The waterer box and float are molded from tough, food-grade polyethylene for cleanliness and long life.
- The built-in float guard protects the valve and float mechanism.
- Valves adjust easily for proper water level.
- · The rubber gasket seal prevents leaking.

Nominal Size W/H/L in Feet	APPROX. CAP. GAL.	WT LB	MODEL #	ITEM #						
GALVANIZED WAT	GALVANIZED WATERER TANKS									
2 x 2 x 4	100	58	RE224RW1	501300281						
2 x 2 x 6	165	79	RE226W1	501300481						
GALV	ANIZED W	ATERER	ACCESSORI	ES						
ACCESSORY	SHIP UPS	WT LB	MODEL #	ITEM #						
Waterer Kit	Х	18	WK	50131018						
Valve & Float	Х	.5	W320A	56010188						
Float & Arm	Х	.5	-	56100528						

WARRANTY NOTE: Galvanized Tanks have a ONE-YEAR WARRANTY.



NOTE: There is a minimum dollar amount for all UPS shipping orders. Please call us at 800-447-2751 or visit www.behlencountry.com for more information.







# **Expanded!** Galvanized Stock Tank Selection











NOMINAL SIZE L/W/H	NEST SIZE	WT LB	APPOX. CAP. GAL.	ITEM #
SQUARE TANKS				
34" x 34" x 12"	2	42	60	50140078
34" x 34" x 24"	2	59	120	50140088
TRIANGLE TANKS				
40" x 34" x 12"	2	38	30	50140048
40" x 34" x 24"	2	59	60	50140058
UTILITY TANKS WITH	I HANDLES			
18" x 35" x 12"	2	20	25	50140068
18" x 35" x 24"	2	28	50	50140018
24" x 24"x 12"	NA	19	19	50140038
24" x 24" x 24"	NA	27	38	50140028

NOTE: Tanks must be ordered in nest quantities. Nest Size 1= Size A, Nest Size 2= Sizes A & B, Nest Size 3= A, B & C. Quantities other than 3 may be subject to a surcharge.

- Prime, heavy duty 20 gauge galvanized steel side and bottoms
- 1" smooth crush-proof rim for longer lasting strength
- Unlimited uses!
- · Galvanized tanks have a one-year warranty
- Made in the USA

## New utility tanks feature handles!



# **Rigid Poly Stock Tanks**

- Seamless single piece construction
- Patented stacking blocks
- Reinforced top rim and bottom withstands the rough use of large animals
- Two-year manufacturer's warranty
- Made in the USA

NOMINAL SIZE L/W/H	WT LB	APPOX. CAP. GAL.	ITEM #
<b>RIGID TANKS</b>			
42" x 20" x 12"	13	27	52120275
52" x 31" x 14"	26	60	52120605
44" x 31" x 25"	30	75	52120755
52" x 31" x 25	36	100	52121005
57" x 42" x 25"	55	150	52121505
82" x 48" x 26"	84	300	52123005
HOG WATERER			
52" x 31" x 25"	42	100	52121015



27 Gallon 52120275



# Flex Poly Stock Tanks

- Durable, solid design resists breakage.
- All round-end tanks have an extra heavy-duty, molded rim and an extra-deep sidewall rib design for additional strength.
- Round tanks have a "formed open" rim.
- Heavy-duty, molded-in aluminum drain fitting and 1¼" poly drain plug ensure a long-life. (PRE214 & PRE216 have no drain plugs because they are easy to tip.)
- FDA food-grade approved poly, tested to -20° F, corrosion-free, impact resistant and recyclable.
- Premium UV Protection assures long life and resistance to color fade in outdoor use.

WARRANTY NOTE: Flex Poly Round Tanks have a TWO-YEAR WARRANTY. Flex Poly Round End Tanks have a THREE-YEAR WARRANTY.



NOMINAL SIZE W/H/L	APPROX. CAP. GAL.	COLOR	WT LB	MODEL #	ITEM #	Suggested Minimum
A. 6' x 2'	350	Blue	66	PR62	52113068	2
B. 8' x 2'	625	Blue	94	PR82	52113088	2
C. 9' x 2'-4"	1000	Blue	119	PR928	52113098	2
D. 3' x 2' x 8'	300	Blue	77	PRE328	52112187	2
NOTE: Minimum nested order quantity of 2 suggested for Round Poly Tanks to ensure stability when shipping.						



#### Deluxe Fun Pool


Deluxe Fun Pool is made with one-piece construction, will not rust, rot or corrode. Wide, heavy-duty rim has no sharp edges. Built-in fun slide, two built-in seats, and four built-in cup holders.

- L/W/H 90" x 80" x 24"
- Approximate Capacity 500 gallons
- WT 90 lb
- Model DFP
- Item # 52113018



## **TANKS/WATERERS**

NOTE: Colors pictured may vary from actual product.





NOMINAL SIZE W/H/L	approx. Cap. Gal.	COLOR	WT LB	MODEL #	ITEM #	Suggested Minimum		
E. 2' x 1' x 4'	50	Granite Tan	18	PRE214	52110047GT	2		
F. 2' x 1' x 6'	70	Granite Tan	29	PRE216	52110067GT	2		
G. 2' x 2' x 3'	65	Granite Tan	22	PRE223	52112037GT	2		
H. 2' x 2' x 4'	100	Granite Tan	30	PRE224	52112017GT	3		
l. 2' x 2' x 5'	125	Granite Tan	44	PRE225	52112057GT	3		
J. 2' x 2' x 6'	150	Granite Tan	53	PRE226	52112027GT	3		
NOTE: Minimum nes	NOTE: Minimum nested order quantity of 2 suggested for Round End Poly Tanks to ensure stability when shipping.							

#### **Free-Flo Valve**

Includes an automatic, non-siphon valve to adjust the water level with the turn of a knob. Three gallons per minute works with all tank models.

- WT 4 lb
- Item # 52120148

## Poly Round Tub

Perfect alternative to 5 gallon bucket for watering or feeding. UV protection for long life and fade resistance.

- W/H 26" x 9"
- Approximate capacity 14 gallons
- WT 9 lb
- Model PR269
- Item # 28107908



1000

#### Water Boy w/ GTV Valve

Quickly and easily converts an ordinary garden hose into an automatic animal waterer. Includes an automatic, non-siphon valve (GTV). Adjust the water level by the turn of a knob.

- W/H 30" x 15"
- Approximate capacity 30 gallons
- WT 18 lb
- Model PR3016
- Item # 52114138





NOTE: The 3 items in this section can be shipped via UPS. Please call us at 800-447-2751 or visit www.behlencountry.com for more information.

## TANKS/WATERERS

# **Best Value in the Industry!**

# Energy-Free Waterers 💻

#### **Energy-Free Waterers**

- · Built-in hold downs.
- New, non-siphoning MC water valve, which features:
  - Fast, consistent fill.
  - Units have a non-siphoning, easy maintenance water valve.
  - Use with pressure lines from 25-55 p.s.i.
  - Additional pressure regulator required for pressures above 55 p.s.i.
- Removable drain plugs and accessible covers.
- Fully assembled, ready to install.
- To ensure proper operation in cold weather, it is recommended that each unit be installed with the Poly Earth Tube (purchased separately).
- For optimal performance install in shaded area in hot climates.
- Premium UV Protection assures long life and resistance to color fade in outdoor use.

#### Earth Tubes 18" & 24"

Heavily insulated design. Provides the protection needed to keep the riser pipe from freezing below the ground even in the coldest weather.



#### **Shut-off Valve Kit**

Hydrant style drain back feature protects waterer from freezing when not in use.







#### Super 2 or 4-Hole Waterer

Designed for heavy cattle use in extremely cold temperatures. Tested at -20°F for 48 hours without freezing with no animals drinking. Rim design helps keep float balls free of ice buildup. Extra-thick 4" urethane insulation.





#### 2 or 4-Hole Cattle Waterer

Built-in hold downs. New, non-siphoning MC water valve for up to 55 PSI. Fully assembled and ready to install. Poly Earth Tubes (purchased separately) recommended for operation in freezing weather.

DESCRIPTION	L/W/H	MIN. Animal Cap.	animal Cap. gal.	WATER Cap. Gal.	WT LB	ship Ups	MODEL #	ITEM #
SUPER WATER	ERS							
Super 2-Hole	44" x 27" x 28"	20	160 Beef/70 Dairy	40	133	-	SF-2C	54110068S
Super 4-Hole	44" x 44" x 28"	30	260 Beef/100 Dairy	80	187	-	SF-4C	54110078
CATTLE WATER	ERS							
2-Hole	36" x 21" x 23"	20	160 Beef/70 Dairy	20	83	Х	EF-2C	54110028
4-Hole	36" x 36" x 23"	30	260 Beef/100 Dairy	35	127	7-	EF-4C	54110048
OPTIONAL EQU	IPMENT							
Earth Tube	18" L x 12" W	-	-	-	8	Х	ET-18	54130038
Earth Tube	24" L x 12 W	-	-	-	/11	Х	ET-24	54130048
Shut-off Valve	12" L	-	-	- /	2	Х	EFSK	54130168

**WARRANTY NOTE: Energy-Free Waterers** have a FIVE-YEAR LIMITED WARRANTY on the body and a ONE-YEAR LIMITED WARRANTY on valves and controls.

# Electric Waterers

- One-piece, heavily insulated waterer, poly design is rust and corrosion free.
- Thick styrofoam floor keeps the frost line below the waterer.
- Low-wattage, infrared heat pad directly under the water trough (starts at approximately 42°F and shuts off at approximately 73°F).
- Heat pads are totally isolated from the animal to prevent danger from shock.
- Double-insulated design eliminates the possibility of stray voltage.





- Units have a non-siphoning, easy maintenance water valve.
- Additional pressure regulator required for pressures above 55 p.s.i.
- An optional low-pressure valve is available for special applications.
- · Built-in hold downs.
- Removable drain plugs.
- Easy access doors.

Calf/Sheep/Horse

• L/W/H 28"x 18"x 22"

• HT of trough 16"

• WT 40 lb

Model AHW60

• Item # 54150028 (Replacement heat pad Item # 2198160S)

**Cattle/Horse** 

• HT of trough 24"

• WT 64 lb

 Model AHW80 • Item # 54150018

Item # 2198160S)

Animal capacity 80

• Watts 100 • Amps 1

(Replacement heat pad

• L/W/H 30"x 26"x 32"

Animal capacity 60

• Watts 100 • Amps 1

Fully assembled, ready to install.

#### **Cattle Extra Capacity**

- L/W/H 34"x 29"x 30"
- HT of trough 24"
- Animal capacity 250
- Watts 250 Amps 2.3
- WT 75 lb
- Model AHW250
- Item # 54150068

(Replacement heat pad Item # 2198162S)

on valves and controls.

Premium UV Protection assures long

life and resistance to color fade in

WARRANTY NOTE: Electric Drinkers have


body and a ONE-YEAR LIMITED WARRANTY

a FIVE-YEAR LIMITED WARRANTY on the

outdoor use.

#### Horse/Companion • L/W/H 21"x 22"x 23"

- HT of trough 16"
- Animal capacity Variable
- Watts 75 Amps .7
- WT 39 lb
- Model AHW30
- Item # 54150088



#### **Automatic Stall**

- L/W/H 12"x 14"x 41"
- HT of trough Adjustable
- Animal capacity 1 Stall Watts 100 • Amps 1

- Item # 54140358S

NOTE: ASHW & ASW Models are NOT Insulated



#### Automatic Stall Unheated

- L/W/H 12"x 14"x 41"
- HT of trough Adjustable
- Animal capacity 1 Stall
- WT 11 lb
- Model ASW
- Item # 54140348S

**TANKS/WATERERS** 

#### Performance for Extreme Weather!

## **Extreme Weather**

Extra thick urethane in the walls provides over four times the insulation of competitors' models. The powerful 220 watt heat pad heats the basin and supply line.

- L/W/H 30"x 20"x 32"
- HT of trough 24"
- Animal capacity 100
- Watts 220 Amps 2.1
- WT 84 lb Model AHW100
- Item # 54150158









- - - (Replacement heat pad

Item # 2198160S)

• WT 13 lb Model ASWH




- Maximum
- \*Oversize UPS charges apply




# **Stock Tank & Waterer Accessories**



**Top Mount Float Valve** Can be used with either steel or poly tanks. •WT 3 lb Item # 3888133





**Drain Plug Package for Flex Poly Tanks** 

Replacement drain plug package for all our poly tanks. •WT .11 lb

Item # 52300028S



**MC Valve & Float Assembly** for all Electric & Insulated Waterers •WT 1 lb Item # 3888244S



1-1/4" Bulkhead Fitting & Plug

Complete replacement kit for flex poly tanks with damaged 1" flange and plugs, or for adding more drains. •WT 1 lb

#### Item # 52114108



**Drain Plug for Galvanized & Rigid Poly Tanks** 

Plug for drain on all our galvanized stock tanks. •WT .1 lb

Item # 2928077



MC Valve (no float) • WT .5 lb Item # 3888245S



25' Roll Gasket Kit •WT 2.5 lb Item # 56100658



**Bulkhead Kit Galvanized** Stock Tanks

3/4" Bulkhead fitting and plug for our galvanized stock tanks. •WT 1 lb

Item # 50130405



**MC Float Assembly (no valve)** •WT .5 lb Item # 3888251S



Valve Foam Insulator For Behlen Country Energy Free Waterers. •WT Less than 1 lb

Item # 2308019



**Galvanized Tank Sealant** Sealant to seal seam of the Behlen Country galvanized stock tanks. •WT 1 lb Item # 3288026



MC Plunger & Seal Kit For MC Valve. •WT Less than 1 lb Item # 3888266



Low-Pressure Valve •WT Less than 1 lb Item # 54130328



Thermostat For all heated waterers. •WT .1 lb Item # 3668011



**250 Watt Submersible Heater** •WT 3 lb Item # 52120088



Tank Stand •L 45.15" x W 30.25" x H 37.5" •WT 25 lb \*UPS shipping not available

Item # 48102045

NOTE: All of the Tanks & Waterer Accessories listed on these two pages can be shipped via UPS. Unless noted otherwise. Please call us at 800-447-2751 or visit www.behlencountry.com for more information.

# **Stock Tank & Waterer Accessories**



Low-Pressure Valve & Float •WT Less than 1 lb Item # 54130338



Heat Pads •WT 3 lb 75 Watt 10" x 14" Item # 2198172S 100 Watt 10" x 19" Item # 2198160S 250 Watt 20" x 25" Item # 2198162S

220 Watt 20" x 22" Item # 2198175S

## **Drain Plug** For all our insulated and electric waterers, except the AWS. •WT.5 lb Item # 54300018

#### **Drinker Internal Parts Replacement Kit**

(1) 3' Pressure Hose (3/4" inside dia.), (1) Hose Clamp, (1) 3/4" Elbow, (1) Valve Clamp, (2) 1/4"x 2" Screws, (1) 3/4" Barb Connector

•WT 1.5 lb Item # 56010008



10" Float Ball

Item # 54300082

•WT 2.4 lb



**Rubber Seal for MC Valve** Package of 5. •WT .5 lb Item # 54300988

#### **AHW Waterer Display Stand**

The perfect way to display Behlen Country Electric Waterers, shelves are adjustable to accommodate different models.

•W/L/H 36" x 30" x 84"

•WT 100 lb \*UPS shipping not available

Item # 80100225



**Kerrick Valve** For use in ASW-H. •WT .5 lb Item # 2958378S



#### **Drain Plug Wrench for Galvanized Stock Tanks**

Drain plug wrench removes galvanized 3/8" square drain plugs with ease. Made from Grade 1018 Zinc Low Carbon Steel. Slanted for easy use. Dual End Wrench Made in USA.

•WT 1 lb Item # 50300060

#### **Durapatch UV™ Kits**

Durapatch UV<sup>™</sup> is a very unique, easy-to-use UV or sunlight activated, self-adhesive repair patch. It is reinforced Polyester with extremely good adhesion properties for long-lasting repairs. The patch is non-flammable, non-toxic, and the adhesive is not harmful to the skin. Easy to apply, no mixing, no weighing - one step, no mess. FDA approved safe.

Easy Application

Impact Resistant

- Fast Cure (15-30 mins) · Molds to any application
- painted · Cures rock hard

- Rot-proof & Waterproof

· Can be drilled, sanded or



DESCRIPTION	UNITS PER Case	CASE WT LB	ITEM #
Case Durapatch 2" x 3"	48	5	2958410
Case Durapatch 3" x 6"	12	16	2958412
Case Durapatch 6" x 9"	12	40	2958414
Case Durapatch 9" x 12"	6	40	2958416
Case UV Flashlight 2.25" x 6"	50	32	2958418

UV Flashlight can be used to speed curing time of the Durapatch UV<sup>™</sup> Kits.



NOTE: All of the Tanks & Waterer Accessories listed on these two pages can be shipped via UPS. Please call us at 800-447-2751 or visit www.behlencountry.com for more information.

## **TANKS/WATERERS**

Δ7

# **Best Value** Chute and Headgate Combos!



## Don't Operate Without a Chute

If you keep a herd of 50 head or less, you might not think a squeeze chute is for you. Yes, you can work cattle with a headgate, or the help of a few loyal friends who rope. But there are lots of reasons why use of a squeeze chute should be on the top of your list. Your safety is at the top of that list. Herd health, and the related economic benefit it creates, is also an important payoff.

For example, researchers at the University of Kentucky developed enterprise budgets for 50-cow herds with a \$5,000 investment in handling facilities that included a headgate and chute. The resulting increases in calving percentages and weaning weights, as well as lower death loss rates for both cows and calves, proved that the investment paid for itself in less than five years.

## Choosing the Right Chute

Before buying a squeeze chute, you need to answer a few questions about its intended use. Bovines come in all sizes, weights and attitudes, so a chute that works for one producer may not work for another.

Some squeeze chutes apply squeeze pressure from only one side, while others squeeze from both sides, forming a 'V' shape that helps balance and support the animal. Regardless of design, experts agree that the best squeeze chutes allow both sides to squeeze equally, thus keeping the animal balanced. The Canada Plan Service gives the following guidelines for the inside widths of the chute at the bottom of the V shape:

- Six inches for 250 to 400 pound calves.
- Eight inches for 600 to 800 pound animals.
- Twelve inches for cows and heavy feeders.
- Fourteen to sixteen inches for larger bulls.

Animal scientists with the Alabama Cooperative Extension service list four basic types of headgates: selfcatching, scissors-stanchion, positive-control, and fullopening stanchion. Once again, you need to know what kind of animal you'll run through the chute. For example, self-catching gates don't work well with horned cattle. There are lots of options available:

- A door or space that allows injections to be given in an animal's neck is a necessity in order to avoid damaging expensive cuts of meat.
- A service door or palpation cage provides access to the rear of animals.
- Hydraulic squeeze chutes take a lot of the effort out of operation.

# Silencer™

## Hydraulic Squeeze Chute

- The most innovative and technologically advanced chute in the cattle industry.
- A patented noise reduction system of 130 contact points sheathed in oil based polyethylene to significantly reduce the noise level.
- Full-opening head and tail door.
- The headgate is wrapped in rubber to prevent shoulder damage to the animal.
- Hydraulic head restraint (becomes half of the neck bars when used that way).
- Rubber louvers prevent animals from seeing humans to the side of chute .
- Side exit available Left/Right/Both.
- Neck bar Left/Right.
- Hydraulic Lower Squeeze.
- Dual additional neck access for precision vaccinating.
- · Choice of power units.
- For animals from 350 lb on up.
- Gray premium powder coat paint.

#### Heavy-Duty Model

In addition to the standard features, the main frame has 4" x 2" x 3/16" rectangular tubing,  $\frac{1}{4}$ " wall side-gates,  $\frac{1}{4}$ " floor for increased life of chute, modular construction for superior maintenance, replaceable heavy-duty drop bars, 10 quick change relube roller bearings - top connector and lower head door connector and 6 - 4 x 2 cylinders.

## Deluxe Ranch & Heavy-duty Extended Chutes

Silencer Extended model chutes are designed with a rear door for the operator to step in behind the animal for artificial insemination, semen checking, pregnancy checking, embryo transfer, etc.

#### Other models and options, are available. Call 800-447-2751 for quotes.

#### Additional Options

Heavy-duty and Commercial Pro, Extended Length, Palpation doors, Pivot Controls, Pivot Controls w/Overhead Scales, Dual Controls, Neck Bars, Hydraulic Neck Extenders Left/Right/ Middle, Dehorner Bar, Hydraulic Kick Bar, Yearling Side Gates-Both Sides, Brisket Bar, Rebar Floor, Platform Scales, Vertical/ Horizontal Split Drop Pan, Leg Puller.



## **Chute Specifications**

EQUIPMENT DETAIL	RANCH	Heavy-duty	EXTENDED
Height	93"	93"	93"
Head & Tailgate Height	67.5"	67.5"	67.5"
Inside Height	67.5"	67.5"	67.5"
Outside Length	100"	100"	130.5"
Inside Length	91"	91"	120.5"
Width (Door Open)	67"	67"	67"
Width (Door Closed)	59"	59"	59"

## Hydraulic Chutes & Accessories

DESCRIPTION	LB*	ITEM #
Deluxe Ranch Chute w/ Left-Hand Controls	2150	Call
Heavy-Duty Chute w/ Left-Hand Control	2600	Call

\*Weights will vary per chute with options selected. Weight of chute with 5 H.P. Unit.



# M1-V Squeeze Chute

- A user-friendly, heavy-duty chute designed for animal and operator safety.
- · Best value in its class.
- Capable of handling the largest mature animals yet providing maximum adjust ability from 2500 lb down to 300 lb cattle.

#### **Standard Features**

- Right-hand or left-hand control operation.
- Dual side exits.
- Fully sheeted split tailgate.
- Dual neck access area for safe and easy vaccinations.
- Double-side squeeze.
- Dual side drop-down side bars.
- Drop-down and detachable sheeted side panels.
- Double bottom floor adjusts from 8" 29" (16 settings).
- HD850 scale brackets on every chute.

## **Optional Features**

- Choice of 3 headgates.
- M-Series chute trailer.
- Palpation A.I. Cage.
- Compatible with any scale system.



Split Tailgate



**M-Series Self-Catch Headgate** 

Easy Access to Neck

## M1-V Chute Specifications

Overall Height 99" Inside Height 69" Inside Chute Length 96" Overall Length w/either Headgate or Split Tailgate 104" Usable Inside Floor Width 23"

## M1-V Chute & Accessories

DESCRIPTION	LB	ITEM #
M1-V Chute w/Fully Sheeted Split Tailgate Mounted *Headgate not included	1277	62175892
M-Series Chute Trailer (w/ rims, no tires)	430	62173692

## **Compatible Headgates**

DESCRIPTION	LB	ITEM #
M-Series Self-Catch Headgate	266	60110132
M-Series Manual Headgate	208	60110012

# MX-V 📟 Squeeze Chute

## Design Enhancements Provide Safer Functionality for Operator and Animal

- · Foot-operated side adjustments is safer for handler and frees up hands!
- Improved side release makes it safer and guicker to release animals.
- New pulley system for vertical tailgate makes it easier to lift.
- Dual purpose tailgate brackets make it easier to attach accessories like A.I. Cage or corral panels.
- · Superior value yet economically priced.
- · Breakthrough design is tough enough and big enough to handle a wide variety of animals.
- Designed with the safety of the operator and the animal in mind.

## **Standard Features**

- Left-hand control operation.
- Single side exit.
- "Easy Action" vertical lift tailgate.
- Double-side squeeze.
- Double-side drop-down side bars.
- Drop-down sheeted side panels.
- Double-side bottom floor adjusts from 7" 17" (9 settings) to accommodate a wide variety of animals.
- 1200 lb capacity.
- Includes CL-5 Self-Catch Headgate.

## **Optional Features**

- M-Series Chute Trailer.
- Palpation A.I. Cage.

**MX-V** Chute Specifications Height 76.875" Length 97.625"

Width 39"



New Pulley System

## Chute & Accessories

DESCRIPTION	LB	ITEM #
MX-V Chute, Incl. Vertical Lift Tailgate & Headgate	924	62175862
Chute to Crowd Alley Adapter (Replaces 1 ea. 64160422 or 64160612 arches when hooking sheeted or unsheeted systems directly to the chute)	52	64402207

## M-Series Chute Trailer

The M-Series Chute Trailer is a convenient one-man loading and transporting of the M1-V and MX-V Chutes. Chute can be raised and lowered with built-in winch and helps with easy positioning of chute to alleyway. Equipped with 2" ball coupler, adjustable jack, and rims. Does NOT include tires. \*Rims are 15" x 15", 5-Hole

· \		
DESCRIPTION	LB	ITEM #
M-Series Chute Trailer (w/ rims, no tires)	430	62173692



## **CATTLE EQUIPMENT**

# Heavy-Duty Headgates

### M-Series Self-Catch Headgate

M-Series Self-Catch Headgate is adjustable from both sides for a more precise fit and increased safety. Adjusts to handle livestock from 300 lb and up and has pins to allow for quick adjustment of width of opening. Attaches to any Behlen Country chute, right or left-hand operation. Recommended for M1-V Behlen Country chutes.



•WT 266 lb •Item # 60110132

## M-Series Manual Headgate

M-Series Manual Headgate features "Pos-olock" ratchet system, ensuring that cattle are caught safely and can't escape. The opening handle attaches parallel to the chute, out of the operator's way, offering plenty of leverage to reduce operator fatique.



M-Series Manual Headgate •WT 208 lb •Item # 60110012

# Standard-Duty Headgate

## CL-5 Utility Headgate

CL-5 Utility Headgate is perfect for small herds. Can operate via self-catch or manual operation. Mounts to alleyway or any Behlen Country Chute.

#### **DESIGN ENHANCEMENTS!**

- Includes an improved bolt on CL-5 Headgate.
- New head knocker guard aids in safety of animal and handler.
- Assist return spring for easier closing.
- Improved release handle for better ergonomics.

•WT 220 lb •Item # 60110202

## Calf Table & A.I. Cage 💻

**CATTLE EQUIPMENT** 

# Calf Table with Headgate

The Calf Table has an updated design for years of use. Locking tilt and reversible headgate make for flexible operation. The Calf Table is a must for branding, castrating and vaccinating calves up to 450 lb.

#### Calf Table w/Headgate

•L 65" x W 46" x H 62" •WT 380 lb •Item # 62176802

Calf Table Headgate Only •WT 93 •Item # 62176812





## A.I. Cage

The A.I. Cage provides a safe, convenient access area behind the chute. Sheeted double doors self lock to block the alley and keep you safe. Attaches to any Behlen Country squeeze chute and allows quick access to the opposite working area.

#### <u>A.I. Cage</u>

•L 32.5" x W 32.5" x H 80" •WT 209 lb •Item #62178422

#### A.I. Cage Accessory

A.I. Cage Transport Bracket

• WT 17 lb •ltem # 62175822









# Unsheeted System Kits and Components

## Unsheeted System Kit 1



180-degree Sweep with 10' Straight lead-in Panel with 20' of Adjustable Straight Crowd Alley. Includes Drop Down No Back.


• Item # 46079642 (Model # USK1) Will make either of the two systems drawn.



## Components


DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	1	46160312
10' Curved Sweep Pen Panel	3	46179572
Flat Ground Brace	2	46180212
Latch & Hardware	1	46180272
10' Straight Crowd Alley Panel	5	46160282
Unsheeted Adj. Alley Arch with Fender	1	64160622
Drop Down No Back	1	64160092
Unsheeted Adj. Alley Arch	2	64160612

## Unsheeted System Kit 2



120-degree Sweep with 10' Straight Crowd Alley.

• Item # 46080002 (Model # USK2) Will make either of the two systems drawn.





## Components

DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	1	46160312
10' Curved Sweep Pen Panel	2	46179572
Flat Ground Brace	1	46180212
Latch & Hardware	1	46180272
Drop Down No Back	1	64160092
10' Panel with Alley Arch	1	46180232
10' Straight Crowd Alley Panel	2	46160282
Non-adjustable Alley Arch	1	46112232

## CATTLE EQUIPMENT

## Unsheeted System Kit 3





## Components

180-degree Sweep with 20' Straight Adjustable Crowd Alley.


Includes Overhead Sweep Pen Brace and Drop Down No Back.

#### • Item # 46079662 (Model # USK3)

Will make either of the two systems drawn.


DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	2	46160312
10' Curved Sweep Pen Panel	3	46179572
Flat Ground Brace	2	46180212
Latch & Hardware	1	46180272
10' Straight Crowd Alley Panel	4	46160282
Drop Down No Back	1	64160092
10' Panel with Alley Arch	1	46180232
Unsheeted Adj. Alley Arch	2	64160612

## Unsheeted System Kit 4



180-degree 3-Panel Sweep Pen.


• Item # 46079532 (Model # USK4) Will make either of the two systems drawn.



## Components


DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	2	46160312
10' Curved Sweep Pen Panel	3	46179572
Flat Ground Brace	2	46180212
Latch & Hardware	/ 1	46180272
10' Panel with Alley Arch	1	46180232

## Unsheeted System Kit 5



120-degree 2-Panel Sweep Pen.


• Item # 46079542 (Model # USK5) Will make either of the two systems drawn.




## Components

DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	1	46160312
10' Curved Sweep Pen Panel	2	46179572
Flat Ground Brace	1	46180212
Latch & Hardware	1	46180272
10' Panel with Alley Arch	1	46180232

## Unsheeted System Kit 6






180-degree 3-Panel Sweep Pen with a 10' Straight lead-in Panel.

#### • Item # 46079602 (Model # USK6)

Will make either of the two systems drawn.




#### Components

DESCRIPTION	QTY.	ITEM #
10' Gate Arch Only	1	46180222
10' Sweep Pen Gate	1	46160292
Sweep Pen Overhead Brace	2	46160312
10' Curved Sweep Pen Panel	3	46179572
Flat Ground Brace	2	46180212
Latch & Hardware	1	46180272
10' Straight Crowd Alley Panel	1	46160282

## **CATTLE EQUIPMENT**

## **Unsheeted System Components**



# Care Center E Portable Calving & Sick Pen

- Provides a portable and self-contained working area to assist with calving and calf acceptance (nursing) problems.
- Ideal cattle work area for smaller operations.
- One-man operation and complete portability make it an essential part of any cattle operation.
- Accepts any Behlen Country Headgate.
- The squeeze gate is split, to allow it to swing out of the way to correct nursing problems, graft calves to cows or perform caesareans.
- Comes standard with 10' panels but can be enlarged by using 12', 14' or 16' side panels; the 4' access door provides easy entrance.
- The Split Squeeze Gate can be swung out of the way to convert the Portable Care Center into a pen for treating and containing sick animals.

## Care Center

DESCRIPTION	LB	ITEM #
10' x 10' Care Center w/CL-5 Headgate	984	62074462

Arch & Gate

• WT 195 lb


• WT 26 lb

Item # 62174511


Item # 62174522

Care Center Hardware (Red)

## Components



Care Center Front Panel • WT 379 lb Item # 62174502




2" 16 ga. Corral Panel (10'x66" high) • WT 94 lb Item # 44123102

## Latch Kit

DESCRIPTION		LB	ITEM #
Arm		15	62403031
Base Arm	1	1	62403021







## **CATTLE EQUIPMENT**

57



## Calf Hutch **E**

The Calf Hutch protects calves and small animals from weather extremes. Opaque material prevents overheating in summer temperatures. Rear vent opening to circulate air.

- L 79" x W 54" x H 46"
- WT 83 lb
- Item #68110018

NOTE: Suggested minimum quantity of 2 per drop ship to ensure stability while shipping.

## **Anchor Stakes**

Anchor stakes can be used for a variety of applications including fence corner anchors, tie-downs, guying trees and shrubs, tethering pets, or tent stakes, etc. A pipe or rod can be inserted into the eye of the stake for use as a handle to screw the stake into the ground.



## **Steel Post Driver**

Steel Post Driver is constructed of heavy piping and capped with a special plug that balances the unit during use. Works with most standard t-post or u-post.

- WT 15 lb
- Item #35150212



#### Anchor Stakes

DESCRIPTION	LB PULL	ORDER IN MULTIPLES	LB	ITEM #
15" long, 4" plate w/3/8" rod	3080	12	1	35150031
30" long, 4" plate w/3/8" rod	4180	12	1.5	35150051
40" long, 6" plate w/1/2" rod	5940	6	3	35150071
48" long, 6" plate w/1/2" rod	13,200	6	9	35150131



## **CATTLE EQUIPMENT**

NOTE: Colors pictured may vary from actual product.

## **Behlen Country<sup>®</sup> 3-Point Equipment**

The equipment you need to manage your land.


## Rotary Cutters Medium-Duty

- · Get out and get mowing with quick assembly.
- Long-lasting, UV resistant powder coat finish.
- One of the heaviest decks in the industry takes on the abuse.
- Cut in confidence with 61/2" deep sides to hold in debris.
- Two premium blades, 3½" wide heat treated, U.S. made forged blades for longer life.
- Ideal for frequent stops and starts, each rotary cutter comes complete with a heavy-duty cast iron 540 RPM gear box.
- Adjustable, laminate puncture-resistant rear wheel.



#### **Rotary Cutters & Guards**

DESCRIPTION	CAT	HP	LB	ITEM #
Medium-Duty				
4' MD Cutter	1	45 Max (Shear Bolt)	417	80110040YEL
4' RC Belt Guard Kit			14	80110040BLT
5' MD Cutter	1	45 Max (Shear Bolt)	480	80110050YEL
5' RC Belt Guard Kit			16	80110050BLT
6' MD Cutter	1	45 Max (Shear Bolt)	563	80110060YEL
6' RC Belt Guard Kit			18	80110060BLT



5' RC Belt Guard Kit Pictured

#### **Replacement Parts**

ROTARY CUTTER	LIFT PIN	PTO Shaft	GEAR BOX	stump Jumper	CUTTER Blade	BLADE Bolt	BLADE NUT	BLADE WASHER	REPAIR Blade/Bolt Kit	SAFETY Sheet
4' MD Cutter	3018352	1728011	2088052	2088026	3018433	1308012	1308015	1308016	80902040	16881000
5' MD Cutter	3018352	1728012	2088028	2088026	3018434	1308012	1308015	1308016	80902050	16881000
6' MD Cutter	3018352	1728012	2088028	2088026	3018435	1308012	1308015	1308016	80902060	16881000

Note: Parts sold as individual units. Not as sets.

## **3-POINT EQUIPMENT**



## **Rotary Tiller**

The Rotary Tiller features 100% gear driven reliability with the protection of oil lubrication and a slip clutch PTO drive shaft. Self-sharpening, heat treated tines will cut through the toughest soils behind your 25-50 HP tractor. Includes adjustable feet to control tilling depth.

- Heavy-duty cast iron gear box
- All gear driven side gear box
- · Self-sharpening heat treated tines
- · Long-lasting UV resistant powder coat finish
- Category 1 hookups up to 50 HP max
- Quick hitch compatible

#### Replacement Parts

Top Gear Box ...2088069 Side Gear Box ...2088068 PTO Shaft ........1728022 Note: Parts sold as individual units. Not as sets.

## **Tillage Discs**

#### Heavy & Medium-Duty

**The Heavy-Duty Tillage Disc** is the heaviest in its class. This tillage disc can be used for general purpose tillage to plowing through even the toughest of soils.

**The Medium-Duty Tillage Discs** are built for working small plots of land such as gardens and wildlife food plots. The combination of smooth and notch discs easily break up hard ground and prepare it for planting.

- The heavy-duty model features a heavy-duty square steel tube box frame design.
- The medium-duty model features a heavy-duty welded angle frame.
- Adjustable disc gangs (adjust depth and angle).
- · Long-lasting sealed bearings
- Long-lasting, UV resistant powder coat finish.
- Category 1 quick hitch compatible up to 45 HP max.



DESCRIPTION	CAT	LB	ITEM #
4' Rotary Tiller	1	635	80118040YEL
5' Rotary Tiller	1	687	80118050YEL
6' Rotary Tiller	1	751	80118060YEL





DESCRIPTION	CAT	LB	ITEM #
6 ½' Heavy-Duty Tillage Disc	1	737	80111320YEL
6 ½' Medium-Duty Tillage Disc	1	592	80111210YEL

**3-POINT EQUIPMENT** 

## **Grader Blades**

## Heavy & Medium-Duty

**The Heavy-Duty Adjustable Grader Blades** offer the most freedom to tackle big or small jobs. Tilt, angle and offset capabilities offer extra versatility for exceptional grading, scraping, digging and getting at hard to reach jobs.

**The Medium-Duty Grader Blades** are ideal for many applications including: driveway maintenance, snow removal, dirt and gravel spreading, and more!

#### Features

- 16" mold board with 6" heat-treated cutting edge.
- Forward and reverse blade angle adjustment.
- 26" offset capabilities either direction Heavy-duty only.
- Blade is able to tilt 15° either direction Heavy-duty only.
- $\bullet$  360° blade rotation with 5 settings index plate adjustment.
- Category 1 quick hitch compatible up to 45 HP max.
- Long-lasting, UV resistant powder coat finish.

#### **Replacement Parts**

CAT 1 Lift pin	CUTTING EDGE
3018352	3018379
3018352	3018380
3018352	3018378
3018352	3018379
3018352	3018380
	LIFT PIN 3018352 3018352 3018352 3018352

Note: Parts sold as individual units. Not as sets.

## **Box Blade**

Behlen Country Box Blades are designed for a multitude of applications including: landscaping, gravel work, driveways, light construction, and leveling. Boxed ends keep the material being worked where you want it.


#### Features

- Cut as deep as you need with 3 depth adjustments on ripping shanks.
- Long-life shanks with heat-treated cutting edges.
  - 5' model has 5 Shanks.
  - 6' model has 6 Shanks.
  - 7' model has 6 Shanks.
- Front and rear reversible cutting edges.
- Long-lasting UV resistant powder coat finish.
- Category 1 quick hitch compatible.
- Fits Category 1 up to 45 HP max .
- Heavy 4" tool bar holds up during deepest penetration.

## **Replacement Parts**

BOX BLADES	CAT 1 Lift pin	3" BENT Hitch Pin	SHANKS	CUTTING Edge
5' Box Blade	3018352	3018382	3018351	3018378
6' Box Blade	3018352	3018382	3018351	3018379
7' Box Blade	3018352	3018382	3018351	3018380

Note: Parts sold as individual units. Not as sets.



#### Grader Blades

CAT	LB	ITEM #
1	256	80110910YEL
1	295	80110920YEL
1	203	80110800YEL
1	219	80110810YEL
1	268	80110820YEL
	1 1 1 1 1	1         256           1         295           1         203           1         219



## Box Blades

DESCRIPTION	CAT	LB	ITEM #
5' Box Blade	1	391	80111100YEL
6' Box Blade	1	457	80111110YEL
7' Box Blade	1	487	80111120YEL



## Arena Ace<sup>™</sup>

Create excellent footing for your equestrian needs with the Arena Ace offered by Behlen Country. Whether you have a commercial facility or small training barn, this groomer adjusts to be suitable for a variety of needs and conditions. With ease it creates a good base and finished top surface. This groomer's s-tines can be adjusted to your desired depth, ensuring penetration of the surface and break down of dirt clumps. The leveling bar behind the s-tines levels any hills or valleys. Behind the leveling bar is a set of roller bars that leave a nice, finished surface. This groomer is ideal to be used with category 1 or 2 tractor (up to 50 HP max) and works great in dirt or sand arenas.

•Depth adjustability: Depth Bar 8" and Roller 4"

•Length of tines and/or greatest digging depth: Point 2-1/2" to 5" and Tine is 14" w/point.



## Drag Harrow

The Behlen Country Drag Harrows are built with heavy 4" tines and a heavy-duty draw bar. They can be easily reversed to allow for less aggressive leveling. Some of the more common uses are: leveling riding arenas, preparing seed beds, reconditioning driveways, incorporating broadcast seeds, spreading manure in pastures, and beach conditioning. Up to 45 HP max.



#### Arena Ace™

DESCRIPTION	L/W/H	TINES	CAT	LB	ITEM #
Arena Ace	55" x 96" x 33"	21	1 or 2	576	80117385

## **Replacement Parts**

Complete S-Tine.. 3018550 S-Tine Point ...... 3018551 Brace Arm ....... 80609455 S-Tine Clamp ..... 3018552

Note: Parts sold as individual units. Not as sets.



#### **Drag Harrow**

W/L	LB	ITEM #	
48" x 48"	66	3018371	
72" x 48"	107	3018264	
96" x 48"	138	3018263	
	48" x 48" 72" x 48"	48" x 48"         66           72" x 48"         107	48" x 48"         66         3018371           72" x 48"         107         3018264

## Land Plane

Our new Behlen Country Land Plane is perfect for maintaining driveways, gravel roads and for final leveling work. With two cutting edges and a 7' width, you will make short work of big grading jobs.

- Great for grading driveways, leveling land, or reconditioning gravel roads.
- Wide enough to cover your tractor tracks and maintain most drives in two passes.
- 84" grading width.
- Two replaceable cutting edges for maximum grading.
- Rear 3-point hookup quick-hitch compatible.
- Recommended for tractors up to 45 HP max.
- Category 1 quick hitch compatible.
- · Replaceable bottom wear strips on side walls.



#### Land Plane

DESCRIPTION	CAT	LB	ITEM #
7' Land Plane	1	533	80119070YEL

#### **Replacement Parts**

CAT 1 Lift Pin...... 3018352 Cutting Edge ...... 3018380 Wear Skid Plate .. 80609110YEL

Note: Parts sold as individual units. Not as sets.

## Landscape Rakes

The Medium-Duty Landscape Rakes offer a wide range of versatility from removing debris, to grading gravel roads and spreading top soil. Add the optional wheel kit for height adjustment above grade.

- 360° Rotation with 5 settings index plate adjustment.
- Quick hitch compatible.
- Category 1 hitch compatible up to 45 HP max.
- Long-lasting, UV resistant powder coat paint.
- Optional Wheel Kit available for all models.

#### Landscape Rakes

DESCRIPTION	CAT	LB	ITEM #
5' Landscape Rake	1	225	80110600YEL
6' Landscape Rake	1	240	80110630YEL
7' Landscape Rake	1	280	80110640YEL
Wheel Kit	-	40	80110665

#### **Replacement Parts**

LANDSCAPE RAKES	CAT 1 Lift pin	RAKE TINES
5' Landscape Rake	3018352	3018367
6' Landscape Rake	3018352	3018367
7' Landscape Rake	3018352	3018367

Note: Parts sold as individual units. Not as sets.



## Middle Buster

The Middle Buster has a sturdy shank and added angle bracing support for the 15" double wing cutting blade. This single row cutting can dig through the toughest of soils.

- Category 1 hitch compatible up to 35 HP max.
- Long-lasting, UV resistant powder coat finish.

DESCRIPTION	CAT	LB	ITEM #
Middle Buster	1	75	80111710YEL

#### **Replacement Parts**

CAT 1 Lift Pin...3018352 Furrower ........3018368

Note: Parts sold as individual units. Not as sets.





Middle Buster



## Cultivator

The One-Row Cultivators are designed for the small farm or acreage owner who wants to maintain small garden and food plots. The cultivator works well for preparing soil for planting, weed control, and incorporating organics into soil.

- Heavy angle iron frame.
- Six heat-treated replaceable cultivator tines.
- Category 1 hitch pins up to 35 HP max.
- Long-lasting, UV resistant powder coat finish.

DESCRIPTION	CAT	LB	ITEM #
Cultivator	1	116	80111500YEL

## **Replacement Parts**

CAT 1 Lift Pin...3018352 C Shank .......3018424 Field Point ......3018425

Note: Parts sold as individual units. Not as sets.

## Sub Soiler

The Sub Soiler is a great way to drain areas where water accumulates and break up compacted soil to improve plant growth. The one piece welded frame ensures years of life, and the replaceable point allows for easy maintenance.

- Category 1 hitch compatible up to 35 HP max.
- Long-lasting, UV resistant powder coat finish.

DESCRIPTION	CAT	LB	ITEM #
Sub Soiler	1	83	80111720YEL

#### **Replacement Parts**

CAT 1 Lift Pin...3018352 Shank......3018366 Note: Parts sold as individual units. Not as sets.





Sub Soiler



**3-POINT EQUIPMENT** 



## **1 Row Hiller**

- Creates beautiful raised row garden or raised row crops in tilled or worked soil.
- Sealed bearings.
- Fully adjustable up to 60" wide.
- Quick hitch compatible.
- Category 1 tractors.
- · Long-lasting, UV resistant powder coat paint.

DESCRIPTION	CAT	LB	ITEM #
1 Row Hiller	1	113	80111530YEL

#### **Replacement Parts**



## **Heavy-Duty Bale Spear**

- Long-lasting, constructed of heavy-duty steel.
- · Heat-treated bolt on spear makes moving heavy bales easy.
- Category 1 and Category 2 hitch compatible.
- Long-lasting, UV resistant powder coat paint.
- Recommended for lifting bales up to 2,000 lb max.

DESCRIPTION	CAT	LB	ITEM #
HD Bale Spear	1&2	109	80112660YEL

#### **Replacement Parts**

Note: Parts sold as individual units. Not as sets.

## **Bucket Bale Spear**

- Mounts to most bucket loaders with a single bolt.
- Heat-treated bolt on spear makes moving bales easy.
- Long-lasting, UV resistant powder coat paint.
- Capable of lifting bales up to 2,000 lb max.

DESCRIPTION	LB	ITEM #
Bucket Bale Spear	88	80112620YEL

#### **Replacement Parts**

Point..... 3018413

Note: Parts sold as individual units. Not as sets.

## Carry All

The Heavy-Duty Carry All is a great companion for your moving needs. A variety of platforms can be constructed for your moving needs. 1,000 lb max capacity and pre-punched legs for easy platform attachment.

DESCRIPTION	CAT	LB	ITEM #
Carry All	1	84	80112410YEL







Boom Poles

## Medium-Duty

Boom Poles are a great tool for farmers and ranchers. They can assist with loading, lifting and pulling.

- Medium-duty is built to last with schedule 40 tubing construction.
- Category 1 hitch compatible.
- Long-lasting, UV resistant powder coat paint.
- Medium Duty weight capacity 500 lb max.

DESCRIPTION	CAT	LB	ITEM #
MD Boom Pole	1	55	80112500YEL


## **3-Point Hitch Movers**

**The 3-Point Heavy-Duty Hitch Mover** has a multitude of uses from moving goose neck trailers and ball hitch wagons, to moving boats at the lake. Comes with a 2-5/16" welded top ball, slide-in section for any 2" receiver and category 1 and 2 lift pins. Up to 6,000 lb max.

The 3-Point Standard Hitch Mover has a multitude of uses it comes with category 1 lift pins. Up to 3,500 lb max.

DESCRIPTION	LB	ITEM #
Heavy-Duty Hitch Mover	80	80160600YEL
Standard Hitch Mover	48	80112560YEL





## 2" Receiver Wire Un-roller **I**

The Behlen Country 2" Receiver Wire Un-roller helps you complete your fencing projects faster and easier. The 2" Receiver Wire Un-roller attaches to a truck, tractor, or ATV with a 2" receiver and holds most sized rolls of wire.

DESCRIPTION	LB	ITEM #
2" Receiver Wire Un-roller	26	80112530YEL



Standard Hitch Mover and Wire Un-roller

## **Spreaders**



**The 3 Point Spreader** features a 850 lb capacity steel hopper (dependent on product) and PTO driven spreader with an in-hopper agitator. Spreads up to 46' with directional spreading available.

- Approximate Capacity 850 lb max
- WT 140 lb

Item # 80112701

# Post Hole Digger & Augers

**POST HOLE DIGGER** -Safely and quickly dig post holes with this 3-Point post hole digger and your Category 1 or 2 tractor. Built with a heavy-duty gearbox and driveline and a quick connect to 6 spline PTO, this digger will make quick work of any fencing job.

**AUGERS -** High quality carbide cutting edge with spiral tip makes for easy digging. Available in 6, 9, and 12 inch diameters.

DESCRIPTION	W/L/H	LB	ITEM #
Post Hole Digger	25" x 72" x 12.5"	174	80113000YEL
6" Dia. Auger	6" x 50" x 6"	39	80113015
9" Dia. Auger	9" x 50" x 9"	47	80113025
12" Dia. Auger	12" x 50" x 12"	63	80113035

Hitch 'N Plow<sup>®</sup>

The Hitch 'N Plow allows you to turn your truck, SUV or UTV into a compact tractor. With Hitch 'N Plow you can attach many standard Category 1, non-PTO driven 3-Point implements such as grader blades, landscape rakes and box blades using a standard 2" receiver hitch. Up to 300 lb max.

DESCRIPTION	W/L/H	LB	ITEM #
Hitch 'N Plow	30" x 28" x 2"	46	80119995



Hitch 'N Plow mounted on UTV with Landscape Rake. Note: Winch is not included.



The 3-Point Poly Spreader features

a 500 lb poly hopper and PTO driven

spreader with an in-hopper agitator.

• Approximate Capacity 500 lb max

Auger not included with Post Hole Digger, sold separately.

Spreads up to 46' with directional

spreading available.

Item # 80112751

• WT 132 lb


Hitch 'N Plow mounted on truck with Grader Blade. Note: Winch is not included.



**The Pull Type Spreader** features a 500 lb capacity steel hopper and can be used with an ATV or lawn tractor for a variety of spreading uses.

- Approximate Capacity 500 lb max
- WT 175 lb

Item # 80112741





**3-POINT EQUIPMENT** 

# **Sub-Compact Implements**

Behlen Country's Sub-Compact lines start with the strength and versatility of the big boys blended with the agile handling and size you expect from your Sub-Compact (15-25 HP) tractor, All of our Sub-Compact

line implements are fully featured and have the same warranty and quality standards you expect from the rest of our 3-Point lineup.



## **Rotary Cutter**

The Sub-Compact Rotary Cutter is built to last. Supplied with Category 1 lift pins on Category 0 spacing, this is the perfect unit for your sub-compact tractor. Gear box with shear bolt is rated up to 25 HP max. •Cutting thickness 1" •2 Blades

DESCRIPTION	LB	ITEM #
4' Rotary Cutter	394	801100300RG



## **Tillage Disc**

The Sub-Compact Tillage Discs are built for working small plots of land such as gardens and wildlife food plots. The combination of smooth and notched discs easily break up hard ground and prepare it for planting. Category 1 pins on Category 0 spacing. Up to 25 HP max.

DESCRIPTION	LB	ITEM #
5 1/2' Tillage Disc	443	801113400RG



The Sub-Compact Grader Blade is ideal for many applications including driveway maintenance, snow removal, dirt and gravel spreading and much more! Up to 25 HP max.

DESCRIPTION	LB	ITEM #
5' Grader Blade	190	801107100RG



## **Box Blade**

Ideal for driveway maintenance, snow removal, dirt, gravel spreading and more. Heat-treated blades allow for long lasting durability. Adjustable shanks allow for deep ripping. Category 1 pins on Category 0 spacing. Up to 25 HP max.

DESCRIPTION	LB	ITEM #
4' Box Blade	280	801110000RG



## Landscape Rake

The Sub-Compact Landscape Rake is great for clearing a trail, driveway maintenance and numerous other chores. Five forward and five reverse settings. Category 1 pins on Category 0 spacing. Up to 25 HP max.

DESCRIPTION	LB	ITEM #
5' Landscape Rake	200	801106100RG
	ncludes Sub Soiler Shank	

## Middle Buster/Sub Soiler Combo

The Middle Buster/Sub Soiler Combo can be used for a multitude of chores. Planting, cultivating and ditching are just a few of these. Category 1 pins on Category 0 spacing. Up to 25 HP max.

DESCRIPTION	LB	ITEM #
Middle Buster/Sub Soiler Combo	37	801117000RG

**3-POINT EQUIPMENT** 

# **Best** in Value **Dog Kennels**



## **Value Chain Link Kennels**

The Value Chain Link Kennels feature cast aluminum square corner fittings for ultimate strength and animal safety. The pre-assembled panels feature center vertical support bars for added strength as well as 1" clearance under the kennels and open bottoms on the vertical tubing for drainage.











NOTE: Please call us at 800-447-2751 or visit www.behlencountry.com for more information.

L/W/H	PALLET QTY	LB	ITEM #
10' x 10' x 6'	4	182	441006
10' x 6'	16	59	401106
10' x 6'	16	41	400106
	10' x 10' x 6' 10' x 6'	L/W/H QTY 10' x 10' x 6' 4 10' x 6' 16	L/W/H QTY LB 10' x 10' x 6' 4 182 10' x 6' 16 59

ACCESSORIES FOR VALUE CHAIN LINK KENNELS						
ACCESSORIES	SHIPS UPS	LB	ITEM #			
Latch	X	1	900975A			
Butterfly Clamps - 4 pair per pkg	Х	1	900319AM			
Butterfly Clamps - 8 pair per pkg	Х	2	900319BM			




# The strongest and most durable kennels available. **25% heavier wire mesh than the competition.** Made to contain the most active dogs.

## Magnum Kennels<sup>™</sup> ■ Powder Coated Features

- Rust inhibiting zinc rich primer, top coated with our premium gray powder coat paint provides an attractive appearance and longer life.
- Robust 1-5/8" tubing and heavy 6 gauge 2" x 4" mesh.
- Configurable to fit any size yard or dog.
- Stronger, more secure and attractive alternative to chain link kennels.
- Easy to assemble, no tools required.
- Wire mesh and sun shade tops available.
- · Residential use only.
- Made in the U.S.A.




Magnum Kennels<sup>™</sup> make great chicken pens!




DESCRIPTION	L/W/H	DOORS	LB	ITEM #
POWDER COATED KENNELS				
Complete Kennel	10' x 10' x 6'	1	298	38100227
Complete Kennel	5' x 10' x 6'	1	236	38100337
PANELS				
Single Door Panel	10' x 6'	1	86	38100017
Double Door Panel	10' x 6'	2	132	38100097
Single Door Panel	5' x 6'	1	53	38100077
Expansion Panel	10' x 6'	0	68	38140067
Expansion Panel	5' x 6'	0	41	38100087



## Magnum Kennel<sup>™</sup> Configurations









#### $5' \times 5'$ 5' x 5' x 6' High (3) 5' Side Panels (1) 5' Door Panel Each Panel includes connectors

## No kennel outlasts the hot-dipped Magnum Kennel™!

## Magnum Kennels<sup>™</sup> ■

Hot-Dipped Galvanized Features

- Rust inhibiting hot-dipped galvanized coating for years of rust-free performance.
- Stronger than other welded wire kennels due to the center vertical support and heavy gauge mesh.
- Long lasting 2" x 4" 6 gauge hot-dipped mesh the heaviest in the industry.
- Heavy 1-5/8" hot-dipped galvanized tubular frame.
- Plated, lockable, slam latch.
- Modular and portable.
- Recommended for residential and commercial operations.
- Easy assembly, no tools required.
- Steel mesh and sun shade tops available.
- Made in the U.S.A.

## Accessories





Steel Mesh Top

Latch Kit



Lift Latch Kit




**Butterfly Clamp** 



**Butterfly Clamp** 



Plastic Cap



DESCRIPTION	L/W/H	DOORS	LB	ITEM #				
HOT-DIPPED GALVANIZED MAGNUM KENNELS™								
Complete Kennel	10' x 10' x 6'	1	353	38100229				
Complete Kennel	5' x 10' x 6'	1	279	38100339				
PANELS								
Single Door Panel	10' x 6'	1	101	38100019				
Double Door Panel	10' x 6'	2	120	38100099				
Single Door Panel	5' x 6'	1	63	38100079				
Expansion Panel	10' x 6'	0	84	38140069				
Expansion Panel	5' x 6'	0	48	38100089				

ACCESSORIES FOR MAGNUM KENNELS™							
ACCESSORIES	POWDER COAT MODEL	Hot-Dipped Model	ships Ups	LB	ITEM #		
Steel Mesh Top 10' x 10'	Х			136	38140027		
Steel Mesh Top 5' x 10'	Х			62	38140017		
Steel Mesh Top 5' x 10'		Х		68	38140019		
Sunblock Top 10' x 10'	Х	Х	Х	5	900901		
Latch Kit		Х	Х	1	38900128		
Lift Latch Kit	Х		Х	1	38900079		
Butterfly Clamps - 2 pair per pkg		Х	Х	2	38900069		
Butterfly Clamps - 2 pair per pkg	Х		Х	2	38900067		
Plastic Cap	Х	Х	Х	.02	1448107		

NOTE: Please call us at 800-447-2751 or visit www.behlencountry.com for more information.



## ALL EQUIPMENT IS PROTECTED BY OUR EXCLUSIVE ONE-YEAR WARRANTY

(Unless listed otherwise)

#### **AGRICULTURAL PRODUCT WARRANTY:**

Behlen Country warrants to the original purchaser that its products that prove to be defective in materials or workmanship within one year from the date of purchase will be repaired or replaced at Behlen Country's option, free of charge, F.O.B. closest plant location, U.S.A.

Energy-free, electric and insulated drinker bodies have a limited five-year warranty from date of purchase. Component parts, such as electric motors, heaters, valves and controls that are manufactured by a company other than Behlen Country, have a one-year limited warranty by Behlen Country. Additional warranties by the manufacturer of these items may also apply.

All poly round tanks have a two-year limited warranty. All poly round end tanks have a three-year limited warranty. All fence panels have a five-year limited warranty. All Champion gates have a limited lifetime warranty.

#### WHAT IS NOT COVERED BY THE WARRANTY:

This warranty does not cover:

- 1. Assemblages not made in accordance with installation instructions, and defects arising thereof.
- 2. When the operation of the product varies from our operating instructions.
- 3. Malfunction or defect resulting from misuse, negligence, alteration, accident, natural disasters, failure to reasonably care for, or lack of performance of required maintenance.
- 4. Loss of time, inconvenience, loss-of-use of product, or any or all CONSEQUENTIAL DAMAGES.
- 5. Use of the product in industrial application, or any application not involved in the business of farming or ranching.

#### **SERVICE PARTS POLICY:**

- 1. Repair parts are provided for all current models.
- 2. Limited availability of common service parts for recently discontinued items.
- 3. Repair parts will not be manufactured for obsoleted equipment and can only be supplied subject to availability in inventory.

#### FOR QUESTIONS REGARDING WARRANTY:

Discuss the problem with your dealer or distributor, or contact a Customer Service Representative toll-free at 1-800-447-2751. Proof of purchase and date of purchase are required.













#### E-Mail: answers@behlencountry.com

Scan the QR Code for a direct link to our website.



WORLD HEADQUARTERS: Behlen Mfg. Co. P.O. Box 569 Columbus, NE 68602-0569 WEST COAST PLANT: Behlen Country 4000 23rd St. Baker City, OR 97814 TEXAS PLANT: Behlen Country 1221 McGregor Drive McGregor, TX 76657

AD-21113 06-30-23